



# 12ga 2-3/4" NobelSport-Vectan Shotshell Load Data



*With three centuries of experience in making gunpowder, NobelSport combines tradition and modernity. Its strong research and development team designs the powders of the future.*

Its site at Pont-de-Buis, recently remodeled and equipped with the most innovative manufacturing processes, can claim to be one of the leading industrial plants.

Boasting a new laboratory equipped with high tech analysis and testing resources, **NobelSport** supplies powders with even further improved ballistic performances, stability and reproducibility.

## VECTAN POWDER - BEST USES

### VECTAN Prima SV, Prima V, GM3

- Single Base granulated powders
- Intended for Shotshell applications

**Prima SV**.....Ideal for 12ga 7/8 oz High Velocity, Low Pressure Target Loads

**Prima V**.....12ga 1 oz High Velocity Target Loads

**GM3**.....12ga 1-1/8 oz Heavy Target or Light Field Loads

### VECTAN AS, A0, A1, A24

- Single Base flake powders with color identification
- Developed for handgun and some rifle applications; but excels in 12ga shotgun applications as well

**AS**.....Best used in 12ga 1 oz Target Loads; Green/Red Flake

**A0**.....12ga Field Loads. Optimal for 1-1/4 to 1-3/8 oz Green/Black Flake

**A1**.....12ga Heavy Target or Upland Loads. Green Flake

**A24**.....12ga 7/8 oz Light Target Loads. Red Flake

### VECTAN D20, 206V

- Single Base disc powders
- Intended for use in 12ga Target loads

**D20**.....12ga Heavy Target Loads

**206V**.....High Velocity, Low Pressure 12ga 1 oz Target Loads.

| Load ID   | Ga. | Length | Hull             | Primer  | Powder   | Grns. | Wad                 | Shot (oz.) | Shot (grns.) | PSI   | FPS  | Crimp |
|---|-----|--------|------------------|---------|----------|-------|---------------------|------------|--------------|-------|------|-------|
| <b>12-Gauge • 2¾" Length • PRIMA-SV POWDER • Lead Shot • Fold Crimp</b> |     |        |                  |         |          |       |                     |            |              |       |      |       |
| 151007-7291   | 12  | 2.75   | Remington STS    | Ched209 | PRIMA-SV | 18.0  | Claybuster 4100-12B | 7/8 oz.    | 382          | 8800  | 1250 | Fold  |
| 150811-7043   | 12  | 2.75   | Remington STS    | Rem209  | PRIMA-SV | 18.1  | Claybuster 4100-12B | 7/8 oz.    | 382          | 8800  | 1250 | Fold  |
| 150811-7040   | 12  | 2.75   | Remington STS    | Rem209  | PRIMA-SV | 19.1  | Claybuster 4100-12B | 7/8 oz.    | 382          | 9500  | 1290 | Fold  |
| 150803-7018   | 12  | 2.75   | Winchester AA HS | Win209  | PRIMA-SV | 17.7  | Claybuster 4100-12B | 7/8 oz.    | 382          | 9000  | 1250 | Fold  |
| 151007-7290   | 12  | 2.75   | Winchester AA HS | Ched209 | PRIMA-SV | 19.9  | Claybuster 4100-12B | 7/8 oz.    | 382          | 10800 | 1375 | Fold  |
| 150811-7045   | 12  | 2.75   | Winchester AA HS | Win209  | PRIMA-SV | 19.9  | Claybuster 4100-12B | 7/8 oz.    | 382          | 10400 | 1350 | Fold  |
| 150803-7019   | 12  | 2.75   | Winchester AA HS | Win209  | PRIMA-SV | 20.0  | Remington TGT12     | 7/8 oz.    | 382          | 10500 | 1365 | Fold  |
| 151007-7289   | 12  | 2.75   | Winchester AA HS | Ched209 | PRIMA-SV | 17.7  | Winchester WAA12L   | 7/8 oz.    | 382          | 9300  | 1275 | Fold  |
| 150811-7047   | 12  | 2.75   | Winchester AA HS | Win209  | PRIMA-SV | 17.7  | Winchester WAA12L   | 7/8 oz.    | 382          | 8900  | 1250 | Fold  |
| 150803-7020   | 12  | 2.75   | Winchester AA HS | Win209  | PRIMA-SV | 18.0  | Winchester WAA12L   | 7/8 oz.    | 382          | 9200  | 1265 | Fold  |

# PRIMA-SV

**WARNING:** BALLISTIC PRODUCTS, INC., GRAF & SONS, INC., AND NOBELSPORT DISCLAIM ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".

| Load ID  | Ga. | Length | Hull             | Primer  | Powder  | Grns. | Wad                | Shot (oz.) | Shot (grns.) | PSI   | FPS  | Crimp |
|--|-----|--------|------------------|---------|---------|-------|--------------------|------------|--------------|-------|------|-------|
| <b>12-Gauge • 2¾" Length • PRIMA-V POWDER • Lead Shot • Fold Crimp</b> |     |        |                  |         |         |       |                    |            |              |       |      |       |
| 150330-6388  | 12  | 2.75   | Winchester AA HS | Win209  | PRIMA-V | 18.0  | SuperSpark         | 3/4 oz.    | 328          | 8500  | 1275 | Fold  |
| 150330-6389  | 12  | 2.75   | Winchester AA HS | Win209  | PRIMA-V | 20.0  | SuperSpark         | 3/4 oz.    | 328          | 8900  | 1350 | Fold  |
| 150330-6390  | 12  | 2.75   | Winchester AA HS | Win209  | PRIMA-V | 22.0  | SuperSpark         | 3/4 oz.    | 328          | 9800  | 1450 | Fold  |
| 150722-6964A   | 12  | 2.75   | Remington STS    | Rem209  | PRIMA-V | 18.3  | L078 Lightning     | 7/8 oz.    | 382          | 9200  | 1250 | Fold  |
| 150722-6962A   | 12  | 2.75   | Remington STS    | Rem209  | PRIMA-V | 19.6  | L078 Lightning     | 7/8 oz.    | 382          | 9700  | 1300 | Fold  |
| 151014-7342  | 12  | 2.75   | Remington STS    | Ched209 | PRIMA-V | 18.0  | Remington TGT12    | 7/8 oz.    | 382          | 9200  | 1250 | Fold  |
| 150702-6752  | 12  | 2.75   | Remington STS    | Rem209  | PRIMA-V | 18.2  | Remington TGT12    | 7/8 oz.    | 382          | 8100  | 1200 | Fold  |
| 150713-6885A   | 12  | 2.75   | Remington STS    | Rem209  | PRIMA-V | 18.9  | Remington TGT12    | 7/8 oz.    | 382          | 8900  | 1250 | Fold  |
| 150702-6753  | 12  | 2.75   | Remington STS    | Rem209  | PRIMA-V | 19.8  | Remington TGT12    | 7/8 oz.    | 382          | 9300  | 1300 | Fold  |
| 150713-6886A   | 12  | 2.75   | Remington STS    | Rem209  | PRIMA-V | 20.7  | Remington TGT12    | 7/8 oz.    | 382          | 9900  | 1350 | Fold  |
| 150723-6969  | 12  | 2.75   | Remington STS    | Rem209  | PRIMA-V | 18.0  | Winchester WAA12L  | 7/8 oz.    | 382          | 7800  | 1200 | Fold  |
| 150715-6928A   | 12  | 2.75   | Remington STS    | Rem209  | PRIMA-V | 18.5  | Winchester WAA12L  | 7/8 oz.    | 382          | 8400  | 1250 | Fold  |
| 150723-6970  | 12  | 2.75   | Remington STS    | Rem209  | PRIMA-V | 19.8  | Winchester WAA12L  | 7/8 oz.    | 382          | 9000  | 1300 | Fold  |
| 150715-6927A   | 12  | 2.75   | Remington STS    | Rem209  | PRIMA-V | 20.5  | Winchester WAA12L  | 7/8 oz.    | 382          | 9500  | 1350 | Fold  |
| 150625-6681A   | 12  | 2.75   | Remington STS    | Rem209  | PRIMA-V | 18.0  | Winchester WAA12SL | 7/8 oz.    | 382          | 7900  | 1200 | Fold  |
| 150702-6754A   | 12  | 2.75   | Remington STS    | Rem209  | PRIMA-V | 18.6  | Winchester WAA12SL | 7/8 oz.    | 382          | 8400  | 1250 | Fold  |
| 150722-6963  | 12  | 2.75   | Remington STS    | Rem209  | PRIMA-V | 19.8  | Winchester WAA12SL | 7/8 oz.    | 382          | 8800  | 1300 | Fold  |
| 150625-6682  | 12  | 2.75   | Remington STS    | Rem209  | PRIMA-V | 21.1  | Winchester WAA12SL | 7/8 oz.    | 382          | 9400  | 1350 | Fold  |
| 151014-7341  | 12  | 2.75   | Winchester AA HS | Ched209 | PRIMA-V | 17.1  | Claybuster 0178-12 | 7/8 oz.    | 382          | 9200  | 1250 | Fold  |
| 150710-6861A   | 12  | 2.75   | Winchester AA HS | Win209  | PRIMA-V | 17.3  | L078 Lightning     | 7/8 oz.    | 382          | 8400  | 1200 | Fold  |
| 150710-6862A   | 12  | 2.75   | Winchester AA HS | Win209  | PRIMA-V | 18.2  | L078 Lightning     | 7/8 oz.    | 382          | 9000  | 1250 | Fold  |
| 150330-6391A   | 12  | 2.75   | Winchester AA HS | Win209  | PRIMA-V | 16.2  | SuperSpark         | 7/8 oz.    | 382          | 8400  | 1150 | Fold  |
| 150610-6609  | 12  | 2.75   | Winchester AA HS | Win209  | PRIMA-V | 17.3  | SuperSpark         | 7/8 oz.    | 382          | 9000  | 1200 | Fold  |
| 150330-6392A   | 12  | 2.75   | Winchester AA HS | Win209  | PRIMA-V | 18.1  | SuperSpark         | 7/8 oz.    | 382          | 9500  | 1250 | Fold  |
| 150610-6610  | 12  | 2.75   | Winchester AA HS | Win209  | PRIMA-V | 18.2  | SuperSpark         | 7/8 oz.    | 382          | 9600  | 1265 | Fold  |
| 150701-6745  | 12  | 2.75   | Winchester AA HS | Win209  | PRIMA-V | 19.1  | SuperSpark         | 7/8 oz.    | 382          | 9800  | 1300 | Fold  |
| 150701-6746A   | 12  | 2.75   | Winchester AA HS | Win209  | PRIMA-V | 20.4  | SuperSpark         | 7/8 oz.    | 382          | 10400 | 1350 | Fold  |
| 150715-6932  | 12  | 2.75   | Winchester AA HS | Win209  | PRIMA-V | 17.2  | Remington TGT12    | 7/8 oz.    | 382          | 8200  | 1200 | Fold  |
| 150701-6748A   | 12  | 2.75   | Winchester AA HS | Win209  | PRIMA-V | 18.4  | Remington TGT12    | 7/8 oz.    | 382          | 8900  | 1250 | Fold  |
| 150714-6904A   | 12  | 2.75   | Winchester AA HS | Win209  | PRIMA-V | 19.3  | Remington TGT12    | 7/8 oz.    | 382          | 9500  | 1300 | Fold  |

**PRIMA-V**

| Load ID  | Ga. | Length | Hull               | Primer  | Powder  | Grns. | Wad                | Shot (oz.) | Shot (grns.) | PSI   | FPS  | Crimp |
|--|-----|--------|--------------------|---------|---------|-------|--------------------|------------|--------------|-------|------|-------|
| <b>12-Gauge • 2¾" Length • PRIMA-V POWDER • Lead Shot • Fold Crimp (continued)</b> |     |        |                    |         |         |       |                    |            |              |       |      |       |
| 150701-6749A   | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 20.7  | Remington TGT12    | 7/8 oz.    | 382          | 10000 | 1350 | Fold  |
| 150714-6906A   | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 17.2  | Winchester WAA12L  | 7/8 oz.    | 382          | 8200  | 1200 | Fold  |
| 150714-6905B   | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 18.4  | Winchester WAA12L  | 7/8 oz.    | 382          | 8700  | 1250 | Fold  |
| 150714-6906B   | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 19.3  | Winchester WAA12L  | 7/8 oz.    | 382          | 9300  | 1300 | Fold  |
| 150714-6905A   | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 20.7  | Winchester WAA12L  | 7/8 oz.    | 382          | 9800  | 1350 | Fold  |
| 150709-6831  | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 17.5  | Winchester WAA12SL | 7/8 oz.    | 382          | 8200  | 1200 | Fold  |
| 150612-6638  | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 18.6  | Winchester WAA12SL | 7/8 oz.    | 382          | 8500  | 1250 | Fold  |
| 150612-6638B   | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 19.4  | Winchester WAA12SL | 7/8 oz.    | 382          | 9200  | 1300 | Fold  |
| 150605-6571  | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 21.1  | Winchester WAA12SL | 7/8 oz.    | 382          | 9700  | 1350 | Fold  |
| 150526-6552  | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 22.0  | Winchester WAA12SL | 7/8 oz.    | 382          | 10100 | 1400 | Fold  |
| 150720-6947  | 12  | 2.75   | Federal Gold Medal | Fed209A | PRIMA-V | 19.5  | Federal 12S0       | 1 oz.      | 437          | 8700  | 1200 | Fold  |
| 150702-6765  | 12  | 2.75   | Federal Gold Medal | Fed209A | PRIMA-V | 20.5  | Federal 12S0       | 1 oz.      | 437          | 9200  | 1250 | Fold  |
| 151005-7214  | 12  | 2.75   | Federal Gold Medal | Fed209A | PRIMA-V | 19.5  | Fiocchi 27         | 1 oz.      | 437          | 10200 | 1250 | Fold  |
| 151005-7215  | 12  | 2.75   | Federal Gold Medal | Fed209A | PRIMA-V | 20.4  | Fiocchi 27         | 1 oz.      | 437          | 10800 | 1300 | Fold  |
| 151005-7212  | 12  | 2.75   | Fiocchi            | Fio616  | PRIMA-V | 19.3  | Fiocchi 27         | 1 oz.      | 437          | 8900  | 1200 | Fold  |
| 151005-7213  | 12  | 2.75   | Fiocchi            | Fio616  | PRIMA-V | 21.0  | Fiocchi 27         | 1 oz.      | 437          | 9700  | 1275 | Fold  |
| 150610-6588  | 12  | 2.75   | Remington STS      | Rem209  | PRIMA-V | 19.0  | Remington R12L     | 1 oz.      | 437          | 9100  | 1200 | Fold  |
| 150720-6948  | 12  | 2.75   | Remington STS      | Rem209  | PRIMA-V | 20.0  | Remington R12L     | 1 oz.      | 437          | 9700  | 1250 | Fold  |
| 150612-6633  | 12  | 2.75   | Remington STS      | Rem209  | PRIMA-V | 21.3  | Remington R12L     | 1 oz.      | 437          | 10500 | 1300 | Fold  |
| 150702-6757  | 12  | 2.75   | Remington STS      | Rem209  | PRIMA-V | 19.0  | Remington RXP12    | 1 oz.      | 437          | 9100  | 1200 | Fold  |
| 151014-7339  | 12  | 2.75   | Remington STS      | Ched209 | PRIMA-V | 19.9  | Remington RXP12    | 1 oz.      | 437          | 11000 | 1300 | Fold  |
| 150720-6949B   | 12  | 2.75   | Remington STS      | Rem209  | PRIMA-V | 20.0  | Remington RXP12    | 1 oz.      | 437          | 9700  | 1250 | Fold  |
| 150702-6758  | 12  | 2.75   | Remington STS      | Rem209  | PRIMA-V | 21.5  | Remington RXP12    | 1 oz.      | 437          | 10200 | 1300 | Fold  |
| 150702-6759A   | 12  | 2.75   | Remington STS      | Rem209  | PRIMA-V | 19.0  | Remington TGT12    | 1 oz.      | 437          | 9300  | 1200 | Fold  |
| 150713-6881B   | 12  | 2.75   | Remington STS      | Rem209  | PRIMA-V | 20.1  | Remington TGT12    | 1 oz.      | 437          | 10000 | 1250 | Fold  |
| 150702-6760  | 12  | 2.75   | Remington STS      | Rem209  | PRIMA-V | 21.2  | Remington TGT12    | 1 oz.      | 437          | 10500 | 1300 | Fold  |
| 150702-6756  | 12  | 2.75   | Remington STS      | Rem209  | PRIMA-V | 20.1  | Winchester WAA12SL | 1 oz.      | 437          | 9500  | 1250 | Fold  |
| 150720-6946  | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 18.3  | Remington FIG8     | 1 oz.      | 437          | 9300  | 1200 | Fold  |
| 150720-6945  | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 19.7  | Remington FIG8     | 1 oz.      | 437          | 9900  | 1250 | Fold  |
| 150706-6772A   | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 18.4  | Remington RXP12    | 1 oz.      | 437          | 9500  | 1200 | Fold  |

PRIMA-V

| Load ID  | Ga. | Length | Hull               | Primer  | Powder  | Grns. | Wad                     | Shot (oz.) | Shot (grns.) | PSI   | FPS  | Crimp |
|--|-----|--------|--------------------|---------|---------|-------|-------------------------|------------|--------------|-------|------|-------|
| <b>12-Gauge • 2¾" Length • PRIMA-V POWDER • Lead Shot • Fold Crimp (continued)</b> |     |        |                    |         |         |       |                         |            |              |       |      |       |
| 150715-6925A   | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 19.4  | Remington RXP12         | 1 oz.      | 437          | 10400 | 1250 | Fold  |
| 150709-6836  | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 20.6  | Remington RXP12         | 1 oz.      | 437          | 11000 | 1300 | Fold  |
| 150330-6394  | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 16.1  | Short Range Crusher     | 1 oz.      | 437          | 8900  | 1100 | Fold  |
| 151014-7338  | 12  | 2.75   | Winchester AA HS   | Ched209 | PRIMA-V | 18.1  | Winchester WAA12SL      | 1 oz.      | 437          | 9900  | 1225 | Fold  |
| 150709-6833  | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 18.2  | Winchester WAA12SL      | 1 oz.      | 437          | 9200  | 1200 | Fold  |
| 150706-6773  | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 19.5  | Winchester WAA12SL      | 1 oz.      | 437          | 9900  | 1250 | Fold  |
| 150706-6774  | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 20.4  | Winchester WAA12SL      | 1 oz.      | 437          | 10200 | 1285 | Fold  |
| 150706-6774A   | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 20.8  | Winchester WAA12SL      | 1 oz.      | 437          | 10400 | 1300 | Fold  |
| 150622-6669  | 12  | 2.75   | Cheddite           | Ched209 | PRIMA-V | 21.0  | Federal 1250            | 1 1/8 oz.  | 492          | 9500  | 1200 | Fold  |
| 150622-6670  | 12  | 2.75   | Cheddite           | Ched209 | PRIMA-V | 22.0  | Federal 1250            | 1 1/8 oz.  | 492          | 10100 | 1250 | Fold  |
| 150706-6793  | 12  | 2.75   | Cheddite           | Ched209 | PRIMA-V | 23.0  | Federal 1250            | 1 1/8 oz.  | 492          | 10900 | 1300 | Fold  |
| 150504-6485  | 12  | 2.75   | Federal Gold Medal | Fed209A | PRIMA-V | 20.0  | Federal 1250            | 1 1/8 oz.  | 492          | 10000 | 1185 | Fold  |
| 150605-6568  | 12  | 2.75   | Federal Gold Medal | Fed209A | PRIMA-V | 21.0  | Federal 1250            | 1 1/8 oz.  | 492          | 10500 | 1230 | Fold  |
| 150330-6395A   | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 15.9  | Helix Cushion Driver 21 | 1 1/8 oz.  | 492          | 9000  | 1050 | Fold  |
| 150605-6569A   | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 18.0  | Winchester WAA12        | 1 1/8 oz.  | 492          | 10000 | 1150 | Fold  |
| 150605-6570  | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 19.1  | Winchester WAA12        | 1 1/8 oz.  | 492          | 10700 | 1200 | Fold  |
| 150408-6423B   | 12  | 2.75   | Winchester AA HS   | Win209  | PRIMA-V | 19.4  | Winchester WAA12        | 1 1/8 oz.  | 492          | 10900 | 1230 | Fold  |

# PRIMA-V

**WARNING:** BALLISTIC PRODUCTS, INC., GRAF & SONS, INC., AND NOBELSPORT DISCLAIM ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".

| Load ID  | Ga. | Length | Hull               | Primer  | Powder | Grns. | Wad                 | Shot (oz.) | Shot (grns.) | PSI   | FPS  | Crimp |
|--|-----|--------|--------------------|---------|--------|-------|---------------------|------------|--------------|-------|------|-------|
| <b>12-Gauge • 2¾" Length • GM3 POWDER • Lead Shot • Fold Crimp</b> |     |        |                    |         |        |       |                     |            |              |       |      |       |
| 150714-6908A   | 12  | 2.75   | Winchester AA HS   | Win209  | GM3    | 18.4  | Winchester WAA12SL  | 7/8 oz.    | 382          | 7700  | 1200 | Fold  |
| 150612-6645  | 12  | 2.75   | Winchester AA HS   | Win209  | GM3    | 19.2  | Winchester WAA12SL  | 7/8 oz.    | 382          | 8000  | 1250 | Fold  |
| 150701-6741  | 12  | 2.75   | Winchester AA HS   | Win209  | GM3    | 20.4  | Winchester WAA12SL  | 7/8 oz.    | 382          | 8500  | 1300 | Fold  |
| 150612-6646  | 12  | 2.75   | Winchester AA HS   | Win209  | GM3    | 21.6  | Winchester WAA12SL  | 7/8 oz.    | 382          | 9100  | 1350 | Fold  |
| 150615-6639  | 12  | 2.75   | Federal Gold Medal | Fed209A | GM3    | 19.6  | Federal 12S0        | 1 oz.      | 437          | 8600  | 1200 | Fold  |
| 150625-6688  | 12  | 2.75   | Federal Gold Medal | Fed209A | GM3    | 20.4  | Federal 12S0        | 1 oz.      | 437          | 9200  | 1250 | Fold  |
| 151007-7308  | 12  | 2.75   | Federal Gold Medal | Ched209 | GM3    | 20.6  | Federal 12S0        | 1 oz.      | 437          | 8000  | 1275 | Fold  |
| 150625-6687  | 12  | 2.75   | Federal Gold Medal | Fed209A | GM3    | 21.6  | Federal 12S0        | 1 oz.      | 437          | 9900  | 1300 | Fold  |
| 151005-7259  | 12  | 2.75   | Federal Gold Medal | Fed209A | GM3    | 19.7  | Fiocchi 27          | 1 oz.      | 437          | 9100  | 1200 | Fold  |
| 151005-7260  | 12  | 2.75   | Federal Gold Medal | Fed209A | GM3    | 21.7  | Fiocchi 27          | 1 oz.      | 437          | 10200 | 1300 | Fold  |
| 150720-6957A   | 12  | 2.75   | Federal Gold Medal | Fed209A | GM3    | 19.7  | Remington TGT12     | 1 oz.      | 437          | 8500  | 1200 | Fold  |
| 150709-6806A   | 12  | 2.75   | Federal Gold Medal | Fed209A | GM3    | 20.8  | Remington TGT12     | 1 oz.      | 437          | 9300  | 1250 | Fold  |
| 151005-7258  | 12  | 2.75   | Fiocchi            | Fio616  | GM3    | 20.0  | Fiocchi 27          | 1 oz.      | 437          | 7000  | 1200 | Fold  |
| 150427-6462  | 12  | 2.75   | Remington STS      | Rem209  | GM3    | 18.1  | Claybuster 4100-12B | 1 oz.      | 437          | 7800  | 1130 | Fold  |
| 150427-6463L   | 12  | 2.75   | Remington STS      | Rem209  | GM3    | 19.4  | Claybuster 4100-12B | 1 oz.      | 437          | 8800  | 1200 | Fold  |
| 150615-6640  | 12  | 2.75   | Remington STS      | Rem209  | GM3    | 20.4  | Claybuster 4100-12B | 1 oz.      | 437          | 9400  | 1250 | Fold  |
| 15073-6879A  | 12  | 2.75   | Remington STS      | Rem209  | GM3    | 18.6  | Remington R12L      | 1 oz.      | 437          | 8200  | 1150 | Fold  |
| 150610-6591A   | 12  | 2.75   | Remington STS      | Rem209  | GM3    | 19.5  | Remington R12L      | 1 oz.      | 437          | 8600  | 1200 | Fold  |
| 150610-6593  | 12  | 2.75   | Remington STS      | Rem209  | GM3    | 20.5  | Remington R12L      | 1 oz.      | 437          | 9100  | 1250 | Fold  |
| 150720-6956  | 12  | 2.75   | Remington STS      | Rem209  | GM3    | 21.5  | Remington R12L      | 1 oz.      | 437          | 9900  | 1300 | Fold  |
| 150526-6549  | 12  | 2.75   | Remington STS      | Rem209  | GM3    | 18.5  | Winchester WAA12SL  | 1 oz.      | 437          | 7800  | 1135 | Fold  |
| 151014-7337  | 12  | 2.75   | Remington STS      | Ched209 | GM3    | 19.2  | Winchester WAA12SL  | 1 oz.      | 437          | 8700  | 1200 | Fold  |
| 150526-6550A   | 12  | 2.75   | Remington STS      | Rem209  | GM3    | 19.5  | Winchester WAA12SL  | 1 oz.      | 437          | 8600  | 1200 | Fold  |
| 150713-6878  | 12  | 2.75   | Remington STS      | Rem209  | GM3    | 20.5  | Winchester WAA12SL  | 1 oz.      | 437          | 9000  | 1250 | Fold  |
| 150720-6955B   | 12  | 2.75   | Remington STS      | Rem209  | GM3    | 21.5  | Winchester WAA12SL  | 1 oz.      | 437          | 9800  | 1300 | Fold  |
| 150728-6998  | 12  | 2.75   | Remington STS      | Rem209  | GM3    | 20.3  | Remington TGT12     | 1 oz.      | 437          | 9600  | 1250 | Fold  |
| 150427-6460L   | 12  | 2.75   | Winchester AA HS   | Win209  | GM3    | 19.5  | Claybuster 4100-12B | 1 oz.      | 437          | 8900  | 1200 | Fold  |
| 150720-6959  | 12  | 2.75   | Winchester AA HS   | Win209  | GM3    | 20.5  | Claybuster 4100-12B | 1 oz.      | 437          | 9300  | 1250 | Fold  |
| 150625-6697A   | 12  | 2.75   | Winchester AA HS   | Win209  | GM3    | 21.9  | Claybuster 4100-12B | 1 oz.      | 437          | 11000 | 1350 | Fold  |
| 150702-6776  | 12  | 2.75   | Winchester AA HS   | Win209  | GM3    | 18.4  | Remington TGT12     | 1 oz.      | 437          | 8700  | 1175 | Fold  |

GM3

| Load ID  | Ga. | Length | Hull               | Primer  | Powder | Grns. | Wad                     | Shot (oz.) | Shot (grns.) | PSI   | FPS  | Crimp |
|--|-----|--------|--------------------|---------|--------|-------|-------------------------|------------|--------------|-------|------|-------|
| <b>12-Gauge • 2¾" Length • GM3 POWDER • Lead Shot • Fold Crimp (continued)</b> |     |        |                    |         |        |       |                         |            |              |       |      |       |
| 150702-6776B   | 12  | 2.75   | Winchester AA HS   | Win209  | GM3    | 18.7  | Remington TGT12         | 1 oz.      | 437          | 9200  | 1200 | Fold  |
| 150625-6696A   | 12  | 2.75   | Winchester AA HS   | Win209  | GM3    | 19.4  | Remington TGT12         | 1 oz.      | 437          | 9900  | 1250 | Fold  |
| 150408-6420  | 12  | 2.75   | Winchester AA HS   | Win209  | GM3    | 18.0  | Winchester WAA12        | 1 oz.      | 437          | 8500  | 1150 | Fold  |
| 150408-6418  | 12  | 2.75   | Winchester AA HS   | Win209  | GM3    | 19.2  | Winchester WAA12        | 1 oz.      | 437          | 9200  | 1200 | Fold  |
| 150331-6397A   | 12  | 2.75   | Winchester AA HS   | Win209  | GM3    | 20.2  | Winchester WAA12        | 1 oz.      | 437          | 9400  | 1250 | Fold  |
| 150331-6398A   | 12  | 2.75   | Winchester AA HS   | Win209  | GM3    | 21.8  | Winchester WAA12        | 1 oz.      | 437          | 10300 | 1300 | Fold  |
| 150622-6671A   | 12  | 2.75   | Cheddite           | Ched209 | GM3    | 20.9  | Federal 12S0            | 1 1/8 oz.  | 492          | 7400  | 1105 | Fold  |
| 150526-6546  | 12  | 2.75   | Cheddite           | Ched209 | GM3    | 22.0  | Federal 12S0            | 1 1/8 oz.  | 492          | 9000  | 1200 | Fold  |
| 150713-6873  | 12  | 2.75   | Cheddite           | Ched209 | GM3    | 23.1  | Federal 12S0            | 1 1/8 oz.  | 492          | 9500  | 1250 | Fold  |
| 150526-6547  | 12  | 2.75   | Cheddite           | Ched209 | GM3    | 24.0  | Federal 12S0            | 1 1/8 oz.  | 492          | 10300 | 1300 | Fold  |
| 150504-6486  | 12  | 2.75   | Federal Field      | Fed209A | GM3    | 20.0  | Federal 12S0            | 1 1/8 oz.  | 492          | 7000  | 1080 | Fold  |
| 150713-6874A   | 12  | 2.75   | Federal Gold Medal | Fed209A | GM3    | 20.5  | Competition Special     | 1 1/8 oz.  | 492          | 10200 | 1200 | Fold  |
| 150713-6874  | 12  | 2.75   | Federal Gold Medal | Fed209A | GM3    | 20.6  | Competition Special     | 1 1/8 oz.  | 492          | 10300 | 1215 | Fold  |
| 150701-6739  | 12  | 2.75   | Federal Gold Medal | Fed209A | GM3    | 20.5  | Federal 12S3            | 1 1/8 oz.  | 492          | 9400  | 1185 | Fold  |
| 150701-6740  | 12  | 2.75   | Federal Gold Medal | Fed209A | GM3    | 21.0  | Federal 12S3            | 1 1/8 oz.  | 492          | 10300 | 1220 | Fold  |
| 150709-6805  | 12  | 2.75   | Federal Gold Medal | Fed209A | GM3    | 20.5  | Helix Cushion Driver 24 | 1 1/8 oz.  | 492          | 10700 | 1225 | Fold  |
| 150629-6719  | 12  | 2.75   | Remington STS      | Rem209  | GM3    | 20.5  | Claybuster 4118-12      | 1 1/8 oz.  | 492          | 9500  | 1200 | Fold  |
| 151013-7323  | 12  | 2.75   | Remington STS      | Ched209 | GM3    | 19.9  | Federal 12S0            | 1 1/8 oz.  | 492          | 10100 | 1200 | Fold  |
| 150630-6713A   | 12  | 2.75   | Remington STS      | Rem209  | GM3    | 20.1  | Remington FIG8          | 1 1/8 oz.  | 492          | 9800  | 1200 | Fold  |
| 150713-6876A   | 12  | 2.75   | Remington STS      | Rem209  | GM3    | 20.3  | Winchester WAA12        | 1 1/8 oz.  | 492          | 9900  | 1200 | Fold  |
| 150713-6876  | 12  | 2.75   | Remington STS      | Rem209  | GM3    | 20.5  | Winchester WAA12        | 1 1/8 oz.  | 492          | 10100 | 1220 | Fold  |
| 150714-6899  | 12  | 2.75   | Remington STS      | Rem209  | GM3    | 21.1  | Winchester WAA12        | 1 1/8 oz.  | 492          | 10700 | 1250 | Fold  |
| 150713-6877  | 12  | 2.75   | Remington STS      | Rem209  | GM3    | 21.4  | Winchester WAA12        | 1 1/8 oz.  | 492          | 11000 | 1270 | Fold  |
| 150408-6419  | 12  | 2.75   | Winchester AA HS   | Win209  | GM3    | 17.0  | Winchester WAA12        | 1 1/8 oz.  | 492          | 8900  | 1085 | Fold  |
| 150331-6399  | 12  | 2.75   | Winchester AA HS   | Win209  | GM3    | 20.0  | Winchester WAA12        | 1 1/8 oz.  | 492          | 10400 | 1200 | Fold  |
| 150504-6490  | 12  | 2.75   | Winchester AA HS   | Win209  | GM3    | 21.0  | Winchester WAA12        | 1 1/8 oz.  | 492          | 11000 | 1250 | Fold  |
| 151013-7324  | 12  | 2.75   | Winchester AA HS   | Ched209 | GM3    | 19.7  | Claybuster 4118-12      | 1 1/8 oz.  | 492          | 10600 | 1225 | Fold  |
| 150629-6718A   | 12  | 2.75   | Winchester AA HS   | Win209  | GM3    | 19.9  | Claybuster 4118-12      | 1 1/8 oz.  | 492          | 9600  | 1200 | Fold  |
| 150709-6837  | 12  | 2.75   | Winchester AA HS   | Win209  | GM3    | 21.0  | Claybuster 4118-12      | 1 1/8 oz.  | 492          | 10200 | 1235 | Fold  |
| 150710-6863  | 12  | 2.75   | Winchester AA HS   | Win209  | GM3    | 19.8  | Helix Cushion Driver 18 | 1 1/8 oz.  | 492          | 10400 | 1200 | Fold  |

# GM3

| Load ID  | Ga. | Length | Hull             | Primer  | Powder | Grns. | Wad                | Shot (oz.) | Shot (grns.) | PSI   | FPS  | Crimp |
|--|-----|--------|------------------|---------|--------|-------|--------------------|------------|--------------|-------|------|-------|
| <b>16-Gauge • 2¾" Length • GM3 POWDER • Lead Shot • Fold Crimp</b> |     |        |                  |         |        |       |                    |            |              |       |      |       |
| 151221-7585  | 16  | 2.75   | Federal FB       | Fed209A | GM3    | 18.1  | Winchester WAA16   | 1 oz       | 437          | 10400 | 1200 | Fold  |
| <b>20-Gauge • 2¾" Length • GM3 POWDER • Lead Shot • Fold Crimp</b> |     |        |                  |         |        |       |                    |            |              |       |      |       |
| 151216-7560  | 20  | 2.75   | Federal FB       | Fed209A | GM3    | 15.0  | Claybuster 1075-20 | 3/4 oz     | 328          | 10700 | 1250 | Fold  |
| 151216-7555  | 20  | 2.75   | Winchester AA HS | Win209  | GM3    | 14.0  | Winchester WAA20   | 3/4 oz     | 328          | 10600 | 1225 | Fold  |

# GM3

**WARNING:** BALLISTIC PRODUCTS, INC., GRAF & SONS, INC., AND NOBELSPORT DISCLAIM ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".



| Load ID   | Ga. | Length | Hull               | Primer  | Powder | Grns. | Wad                  | Shot (oz.) | Shot (grns.) | PSI   | FPS  | Crimp |
|---|-----|--------|--------------------|---------|--------|-------|----------------------|------------|--------------|-------|------|-------|
| <b>12-Gauge • 2¾" Length • AS POWDER • Lead Shot • Fold Crimp</b> |     |        |                    |         |        |       |                      |            |              |       |      |       |
| 150720-6941   | 12  | 2.75   | Federal Gold Medal | Fed209A | AS     | 19.2  | Claybuster 4100-12B  | 7/8 oz.    | 382          | 7200  | 1200 | Fold  |
| 150720-6944   | 12  | 2.75   | Federal Gold Medal | Fed209A | AS     | 17.5  | Federal 1250         | 7/8 oz.    | 382          | 7200  | 1150 | Fold  |
| 150720-6943   | 12  | 2.75   | Federal Gold Medal | Fed209A | AS     | 19.1  | Federal 1250         | 7/8 oz.    | 382          | 8000  | 1250 | Fold  |
| 151013-7325   | 12  | 2.75   | Remington STS      | Ched209 | AS     | 18.2  | Claybuster CB0178-12 | 7/8 oz.    | 382          | 8600  | 1250 | Fold  |
| 150715-6931   | 12  | 2.75   | Remington STS      | Rem209  | AS     | 16.9  | Federal 1250         | 7/8 oz.    | 382          | 8000  | 1200 | Fold  |
| 150710-6843A  | 12  | 2.75   | Remington STS      | Rem209  | AS     | 18.1  | Federal 1250         | 7/8 oz.    | 382          | 8700  | 1250 | Fold  |
| 150715-6930   | 12  | 2.75   | Remington STS      | Rem209  | AS     | 19.2  | Federal 1250         | 7/8 oz.    | 382          | 9200  | 1300 | Fold  |
| 150706-6783   | 12  | 2.75   | Remington STS      | Rem209  | AS     | 20.3  | Federal 1250         | 7/8 oz.    | 382          | 10300 | 1350 | Fold  |
| 150710-6841   | 12  | 2.75   | Remington STS      | Rem209  | AS     | 16.8  | L078 Lightning       | 7/8 oz.    | 382          | 8800  | 1200 | Fold  |
| 150706-6784   | 12  | 2.75   | Remington STS      | Rem209  | AS     | 18.0  | L078 Lightning       | 7/8 oz.    | 382          | 9100  | 1250 | Fold  |
| 150713-6887   | 12  | 2.75   | Remington STS      | Rem209  | AS     | 19.1  | L078 Lightning       | 7/8 oz.    | 382          | 9400  | 1300 | Fold  |
| 150706-6785   | 12  | 2.75   | Remington STS      | Rem209  | AS     | 20.4  | L078 Lightning       | 7/8 oz.    | 382          | 10400 | 1350 | Fold  |
| 151014-7344   | 12  | 2.75   | Remington STS      | Ched209 | AS     | 16.8  | Remington TGT12      | 7/8 oz.    | 382          | 8900  | 1225 | Fold  |
| 150706-6787   | 12  | 2.75   | Remington STS      | Rem209  | AS     | 16.8  | Remington TGT12      | 7/8 oz.    | 382          | 8000  | 1185 | Fold  |
| 150706-6787B  | 12  | 2.75   | Remington STS      | Rem209  | AS     | 17.0  | Remington TGT12      | 7/8 oz.    | 382          | 8200  | 1200 | Fold  |
| 150710-6842   | 12  | 2.75   | Remington STS      | Rem209  | AS     | 18.2  | Remington TGT12      | 7/8 oz.    | 382          | 8800  | 1250 | Fold  |
| 150714-6909A  | 12  | 2.75   | Remington STS      | Rem209  | AS     | 19.2  | Remington TGT12      | 7/8 oz.    | 382          | 9400  | 1300 | Fold  |
| 150710-6840   | 12  | 2.75   | Remington STS      | Rem209  | AS     | 20.3  | Remington TGT12      | 7/8 oz.    | 382          | 10200 | 1350 | Fold  |
| 150715-6929   | 12  | 2.75   | Remington STS      | Rem209  | AS     | 17.2  | Winchester WAA12L    | 7/8 oz.    | 382          | 7800  | 1200 | Fold  |
| 151013-7326   | 12  | 2.75   | Remington STS      | Ched209 | AS     | 17.9  | Winchester WAA12L    | 7/8 oz.    | 382          | 8700  | 1250 | Fold  |
| 150710-6844A  | 12  | 2.75   | Remington STS      | Rem209  | AS     | 18.4  | Winchester WAA12L    | 7/8 oz.    | 382          | 8400  | 1250 | Fold  |
| 150714-6910A  | 12  | 2.75   | Remington STS      | Rem209  | AS     | 19.5  | Winchester WAA12L    | 7/8 oz.    | 382          | 8900  | 1300 | Fold  |
| 150619-6654A  | 12  | 2.75   | Remington STS      | Rem209  | AS     | 20.9  | Winchester WAA12L    | 7/8 oz.    | 382          | 9800  | 1350 | Fold  |
| 150710-6856A  | 12  | 2.75   | Winchester AA HS   | Win209  | AS     | 17.4  | L078 Lightning       | 7/8 oz.    | 382          | 8400  | 1200 | Fold  |
| 150714-6907   | 12  | 2.75   | Winchester AA HS   | Win209  | AS     | 18.2  | L078 Lightning       | 7/8 oz.    | 382          | 8900  | 1250 | Fold  |
| 150701-6744   | 12  | 2.75   | Winchester AA HS   | Win209  | AS     | 16.8  | Remington TGT12      | 7/8 oz.    | 382          | 8300  | 1200 | Fold  |
| 150612-6643A  | 12  | 2.75   | Winchester AA HS   | Win209  | AS     | 17.2  | Remington TGT12      | 7/8 oz.    | 382          | 8700  | 1225 | Fold  |
| 150428-6469A  | 12  | 2.75   | Winchester AA HS   | Win209  | AS     | 17.9  | Remington TGT12      | 7/8 oz.    | 382          | 8900  | 1250 | Fold  |
| 150612-6644   | 12  | 2.75   | Winchester AA HS   | Win209  | AS     | 19.0  | Remington TGT12      | 7/8 oz.    | 382          | 9300  | 1300 | Fold  |
| 150610-6603   | 12  | 2.75   | Winchester AA HS   | Win209  | AS     | 20.0  | Remington TGT12      | 7/8 oz.    | 382          | 10200 | 1350 | Fold  |

AS

| Load ID   | Ga. | Length | Hull               | Primer  | Powder | Grns. | Wad                | Shot (oz.) | Shot (grns.) | PSI   | FPS  | Crimp |
|---|-----|--------|--------------------|---------|--------|-------|--------------------|------------|--------------|-------|------|-------|
| <b>12-Gauge • 2¾" Length • AS POWDER • Lead Shot • Fold Crimp (continued)</b> |     |        |                    |         |        |       |                    |            |              |       |      |       |
| 150709-6823   | 12  | 2.75   | Winchester AA HS   | Win209  | AS     | 17.1  | Winchester WAA12L  | 7/8 oz.    | 382          | 8100  | 1200 | Fold  |
| 150709-6823B  | 12  | 2.75   | Winchester AA HS   | Win209  | AS     | 18.0  | Winchester WAA12L  | 7/8 oz.    | 382          | 8700  | 1250 | Fold  |
| 150615-6649A  | 12  | 2.75   | Winchester AA HS   | Win209  | AS     | 19.1  | Winchester WAA12L  | 7/8 oz.    | 382          | 9100  | 1300 | Fold  |
| 150701-6743A  | 12  | 2.75   | Winchester AA HS   | Win209  | AS     | 20.1  | Winchester WAA12L  | 7/8 oz.    | 382          | 9700  | 1350 | Fold  |
| 150520-6539A  | 12  | 2.75   | Winchester AA HS   | Win209  | AS     | 15.9  | Winchester WAA12SL | 7/8 oz.    | 382          | 7400  | 1100 | Fold  |
| 150714-6903A  | 12  | 2.75   | Winchester AA HS   | Win209  | AS     | 17.4  | Winchester WAA12SL | 7/8 oz.    | 382          | 8200  | 1200 | Fold  |
| 150701-6750A  | 12  | 2.75   | Winchester AA HS   | Win209  | AS     | 18.4  | Winchester WAA12SL | 7/8 oz.    | 382          | 8600  | 1250 | Fold  |
| 150615-6641   | 12  | 2.75   | Winchester AA HS   | Win209  | AS     | 19.0  | Winchester WAA12SL | 7/8 oz.    | 382          | 9100  | 1300 | Fold  |
| 150701-6742A  | 12  | 2.75   | Winchester AA HS   | Win209  | AS     | 20.3  | Winchester WAA12SL | 7/8 oz.    | 382          | 9700  | 1350 | Fold  |
| 150702-6768A  | 12  | 2.75   | Federal Gold Medal | Fed209A | AS     | 17.8  | Federal 1250       | 1 oz.      | 437          | 8200  | 1160 | Fold  |
| 150709-6809   | 12  | 2.75   | Federal Gold Medal | Fed209A | AS     | 19.1  | Federal 1250       | 1 oz.      | 437          | 9500  | 1235 | Fold  |
| 150720-6942B  | 12  | 2.75   | Federal Gold Medal | Fed209A | AS     | 19.3  | Federal 1250       | 1 oz.      | 437          | 9700  | 1250 | Fold  |
| 151013-7327   | 12  | 2.75   | Federal Gold Medal | Ched209 | AS     | 19.5  | Federal 1250       | 1 oz.      | 437          | 9000  | 1225 | Fold  |
| 150715-6933   | 12  | 2.75   | Federal Gold Medal | Fed209A | AS     | 20.3  | Federal 1250       | 1 oz.      | 437          | 10500 | 1300 | Fold  |
| 151005-7263B  | 12  | 2.75   | Federal Gold Medal | Fed209A | AS     | 18.7  | Fiocchi 27         | 1 oz.      | 437          | 9900  | 1200 | Fold  |
| 151005-7264   | 12  | 2.75   | Federal Gold Medal | Fed209A | AS     | 20.3  | Fiocchi 27         | 1 oz.      | 437          | 11000 | 1300 | Fold  |
| 150625-6685A  | 12  | 2.75   | Federal Gold Medal | Fed209A | AS     | 18.1  | Remington TGT12    | 1 oz.      | 437          | 9400  | 1200 | Fold  |
| 150625-6686A  | 12  | 2.75   | Federal Gold Medal | Fed209A | AS     | 19.1  | Remington TGT12    | 1 oz.      | 437          | 10000 | 1250 | Fold  |
| 150709-6808   | 12  | 2.75   | Federal Gold Medal | Fed209A | AS     | 20.2  | Remington TGT12    | 1 oz.      | 437          | 10800 | 1300 | Fold  |
| 151005-7261   | 12  | 2.75   | Fiocchi            | Fio616  | AS     | 19.0  | Fiocchi 27         | 1 oz.      | 437          | 8700  | 1200 | Fold  |
| 151005-7262B  | 12  | 2.75   | Fiocchi            | Fio616  | AS     | 20.0  | Fiocchi 27         | 1 oz.      | 437          | 9300  | 1250 | Fold  |
| 150612-6635   | 12  | 2.75   | Remington STS      | Rem209  | AS     | 17.7  | Remington RXP12    | 1 oz.      | 437          | 9700  | 1200 | Fold  |
| 150610-6601   | 12  | 2.75   | Remington STS      | Rem209  | AS     | 18.0  | Remington RXP12    | 1 oz.      | 437          | 10000 | 1220 | Fold  |
| 150428-6467   | 12  | 2.75   | Remington STS      | Rem209  | AS     | 19.0  | Remington RXP12    | 1 oz.      | 437          | 10600 | 1250 | Fold  |
| 150626-6684A  | 12  | 2.75   | Remington STS      | Rem209  | AS     | 20.1  | Remington RXP12    | 1 oz.      | 437          | 11000 | 1285 | Fold  |
| 150720-6936   | 12  | 2.75   | Remington STS      | Rem209  | AS     | 19.2  | Remington TGT12    | 1 oz.      | 437          | 9500  | 1225 | Fold  |
| 150709-6821A  | 12  | 2.75   | Winchester AA HS   | Win209  | AS     | 18.0  | Remington RXP12    | 1 oz.      | 437          | 9400  | 1200 | Fold  |
| 150720-6939A  | 12  | 2.75   | Winchester AA HS   | Win209  | AS     | 19.5  | Remington RXP12    | 1 oz.      | 437          | 9800  | 1250 | Fold  |
| 150722-6965A  | 12  | 2.75   | Winchester AA HS   | Win209  | AS     | 18.1  | Remington TGT12    | 1 oz.      | 437          | 9500  | 1200 | Fold  |
| 150722-6966A  | 12  | 2.75   | Winchester AA HS   | Win209  | AS     | 20.5  | Remington TGT12    | 1 oz.      | 437          | 10900 | 1300 | Fold  |

AS

| Load ID   | Ga. | Length | Hull             | Primer  | Powder | Grns. | Wad                 | Shot (oz.) | Shot (grns.) | PSI   | FPS  | Crimp |
|---|-----|--------|------------------|---------|--------|-------|---------------------|------------|--------------|-------|------|-------|
| <b>12-Gauge • 2¾" Length • AS POWDER • Lead Shot • Fold Crimp (continued)</b> |     |        |                  |         |        |       |                     |            |              |       |      |       |
| 151013-7328   | 12  | 2.75   | Winchester AA HS | Ched209 | AS     | 18.0  | Winchester WAA12SL  | 1 oz.      | 437          | 9600  | 1225 | Fold  |
| 150706-6770A  | 12  | 2.75   | Winchester AA HS | Win209  | AS     | 18.1  | Winchester WAA12SL  | 1 oz.      | 437          | 9200  | 1200 | Fold  |
| 150715-6926A  | 12  | 2.75   | Winchester AA HS | Win209  | AS     | 19.2  | Winchester WAA12SL  | 1 oz.      | 437          | 10100 | 1250 | Fold  |
| 150709-6820   | 12  | 2.75   | Winchester AA HS | Win209  | AS     | 20.6  | Winchester WAA12SL  | 1 oz.      | 437          | 10700 | 1300 | Fold  |
| <b>16-Gauge • 2¾" Length • AS POWDER • Lead Shot • Fold Crimp</b>             |     |        |                  |         |        |       |                     |            |              |       |      |       |
| 151216-7549   | 16  | 2.75   | Cheddite         | Ched209 | AS     | 20    | Sporting 16         | 7/8 oz     | 382          | 10600 | 1350 | Fold  |
| 151216-7550   | 16  | 2.75   | Cheddite         | Ched209 | AS     | 18    | Win. WAA16 + 18FW20 | 7/8 oz     | 382          | 10400 | 1300 | Fold  |

AS

**WARNING:** BALLISTIC PRODUCTS, INC., GRAF & SONS, INC., AND NOBELSPORT DISCLAIM ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".

| Load ID   | Ga. | Length | Hull               | Primer  | Powder | Grns. | Wad                 | Shot (oz.) | Shot (grns.) | PSI   | FPS  | Crimp |
|---|-----|--------|--------------------|---------|--------|-------|---------------------|------------|--------------|-------|------|-------|
| <b>12-Gauge • 2¾" Length • A0 POWDER • Lead Shot • Fold Crimp</b> |     |        |                    |         |        |       |                     |            |              |       |      |       |
| 150504-6484   | 12  | 2.75   | Federal Gold Medal | Fed209A | A0     | 24.0  | Federal 1250        | 1 1/8 oz.  | 492          | 8800  | 1200 | Fold  |
| 151013-7329   | 12  | 2.75   | Federal Gold Medal | Ched209 | A0     | 24.2  | Federal 1250        | 1 1/8 oz.  | 492          | 7800  | 1200 | Fold  |
| 150408-6422   | 12  | 2.75   | Winchester AA HS   | Win209  | A0     | 23.5  | Winchester WAA12    | 1 1/8 oz.  | 492          | 8500  | 1175 | Fold  |
| 150401-6409L  | 12  | 2.75   | Winchester AA HS   | Win209  | A0     | 23.7  | Winchester WAA12    | 1 1/8 oz.  | 492          | 8700  | 1200 | Fold  |
| 150630-6732A  | 12  | 2.75   | Winchester AA HS   | Win209  | A0     | 25.4  | Winchester WAA12    | 1 1/8 oz.  | 492          | 9200  | 1250 | Fold  |
| 150401-6410   | 12  | 2.75   | Winchester AA HS   | Win209  | A0     | 26.0  | Winchester WAA12    | 1 1/8 oz.  | 492          | 9600  | 1285 | Fold  |
| <b>16-Gauge • 2¾" Length • A0 POWDER • Lead Shot • Fold Crimp</b> |     |        |                    |         |        |       |                     |            |              |       |      |       |
| 151216-7547   | 16  | 2.75   | Cheddite           | Ched209 | A0     | 22.0  | Sporting 16         | 7/8 oz     | 382          | 7500  | 1200 | Fold  |
| 151217-7580   | 16  | 2.75   | Federal FB         | Fed209A | A0     | 22.0  | Sporting 16         | 7/8 oz     | 382          | 8800  | 1300 | Fold  |
| 151217-7578   | 16  | 2.75   | Remington SP       | Rem209  | A0     | 22.0  | Sporting 16         | 7/8 oz     | 382          | 10000 | 1350 | Fold  |
| 151214-5736L  | 16  | 2.75   | Cheddite           | Ched209 | A0     | 19.8  | Winchester WAA16    | 1 oz       | 437          | 8900  | 1200 | Fold  |
| 151214-5736   | 16  | 2.75   | Cheddite           | Ched209 | A0     | 20.0  | Winchester WAA16    | 1 oz       | 437          | 9100  | 1215 | Fold  |
| 151214-5737L  | 16  | 2.75   | Cheddite           | Ched209 | A0     | 21.0  | Winchester WAA16    | 1 oz       | 437          | 9500  | 1265 | Fold  |
| 151214-5737   | 16  | 2.75   | Cheddite           | Ched209 | A0     | 22.0  | Winchester WAA16    | 1 oz       | 437          | 9800  | 1300 | Fold  |
| 151214-5735L  | 16  | 2.75   | Cheddite           | Ched209 | A0     | 21.1  | Z16 Field Commander | 1 oz       | 437          | 9000  | 1200 | Fold  |
| 151214-5735   | 16  | 2.75   | Cheddite           | Ched209 | A0     | 22    | Z16 Field Commander | 1 oz       | 437          | 9300  | 1250 | Fold  |
| 151124-7440   | 16  | 2.75   | Cheddite           | Ched209 | A0     | 26    | Z16 Field Commander | 1 oz       | 437          | 10400 | 1400 | Fold  |
| 151221-7583   | 16  | 2.75   | Federal FB         | Fed209A | A0     | 20.2  | Sporting 16         | 1 oz       | 437          | 9200  | 1200 | Fold  |
| 151214-7532L  | 16  | 2.75   | Federal FB         | Fed209A | A0     | 19.0  | Winchester WAA16    | 1 oz       | 437          | 9900  | 1200 | Fold  |
| 151214-7532B  | 16  | 2.75   | Federal FB         | Fed209A | A0     | 19.9  | Winchester WAA16    | 1 oz       | 437          | 10500 | 1250 | Fold  |
| 151214-7530L  | 16  | 2.75   | Remington SP       | Rem209  | A0     | 19.8  | Winchester WAA16    | 1 oz       | 437          | 9400  | 1200 | Fold  |
| 151214-7530   | 16  | 2.75   | Remington SP       | Rem209  | A0     | 20.1  | Winchester WAA16    | 1 oz       | 437          | 9600  | 1225 | Fold  |
| 151214-7528   | 16  | 2.75   | Remington SP       | Rem209  | A0     | 20    | Z16 Field Commander | 1 oz       | 437          | 9200  | 1200 | Fold  |
| 151214-7529B  | 16  | 2.75   | Remington SP       | Rem209  | A0     | 21.1  | Z16 Field Commander | 1 oz       | 437          | 9500  | 1250 | Fold  |
| 151214-7529   | 16  | 2.75   | Remington SP       | Rem209  | A0     | 22.0  | Z16 Field Commander | 1 oz       | 437          | 9900  | 1285 | Fold  |
| <b>20-Gauge • 2¾" Length • A0 POWDER • Lead Shot • Fold Crimp</b> |     |        |                    |         |        |       |                     |            |              |       |      |       |
| 151207-7487L  | 20  | 2.75   | Cheddite           | Ched209 | A0     | 18.2  | Claybuster 1075-20  | 3/4 oz     | 328          | 8400  | 1250 | Fold  |
| 151207-7488L  | 20  | 2.75   | Cheddite           | Ched209 | A0     | 19.1  | Claybuster 1075-20  | 3/4 oz     | 328          | 9100  | 1300 | Fold  |
| 151207-7488L  | 20  | 2.75   | Cheddite           | Ched209 | A0     | 19.9  | Claybuster 1075-20  | 3/4 oz     | 328          | 9700  | 1350 | Fold  |

A0

| Load ID   | Ga. | Length | Hull             | Primer  | Powder | Grns. | Wad                | Shot (oz.) | Shot (grns.) | PSI   | FPS  | Crimp |
|---|-----|--------|------------------|---------|--------|-------|--------------------|------------|--------------|-------|------|-------|
| <b>20-Gauge • 2¾" Length • AO POWDER • Lead Shot • Fold Crimp (continued)</b> |     |        |                  |         |        |       |                    |            |              |       |      |       |
| 151207-7489L  | 20  | 2.75   | Cheddite         | Ched209 | A0     | 21    | Claybuster 1075-20 | 3/4 oz     | 328          | 10100 | 1400 | Fold  |
| 151207-7489B  | 20  | 2.75   | Cheddite         | Ched209 | A0     | 21.9  | Claybuster 1075-20 | 3/4 oz     | 328          | 10500 | 1450 | Fold  |
| 151215-7539   | 20  | 2.75   | Cheddite         | Ched209 | A0     | 17    | Sporting 20 Long   | 3/4 oz     | 328          | 8000  | 1200 | Fold  |
| 151124-7435   | 20  | 2.75   | Cheddite         | Ched209 | A0     | 18    | Sporting 20 Long   | 3/4 oz     | 328          | 8600  | 1250 | Fold  |
| 151008-7506L  | 20  | 2.75   | Remington        | Rem209  | A0     | 16.0  | Claybuster 1075-20 | 3/4 oz     | 328          | 9400  | 1200 | Fold  |
| 151216-7556   | 20  | 2.75   | Remington        | Rem209  | A0     | 16.7  | Claybuster 1075-20 | 3/4 oz     | 328          | 9600  | 1250 | Fold  |
| 151008-7506   | 20  | 2.75   | Remington        | Rem209  | A0     | 17.0  | Claybuster 1075-20 | 3/4 oz     | 328          | 9800  | 1275 | Fold  |
| 151008-7507B  | 20  | 2.75   | Remington        | Rem209  | A0     | 17.9  | Claybuster 1075-20 | 3/4 oz     | 328          | 10500 | 1325 | Fold  |
| 151008-7507   | 20  | 2.75   | Remington        | Rem209  | A0     | 19.0  | Claybuster 1075-20 | 3/4 oz     | 328          | 11100 | 1385 | Fold  |
| 151221-7589   | 20  | 2.75   | Remington        | Rem209  | A0     | 15.6  | Winchester WAA20   | 3/4 oz     | 328          | 9000  | 1200 | Fold  |
| 151209-7512   | 20  | 2.75   | Remington        | Rem209  | A0     | 16.5  | Winchester WAA20   | 3/4 oz     | 328          | 9700  | 1250 | Fold  |
| 151216-7559   | 20  | 2.75   | Remington        | Rem209  | A0     | 17.2  | Winchester WAA20   | 3/4 oz     | 328          | 10000 | 1300 | Fold  |
| 151209-7511   | 20  | 2.75   | Winchester AA HS | Win209  | A0     | 16    | Claybuster 1075-20 | 3/4 oz     | 328          | 9000  | 1200 | Fold  |
| 151221-7587   | 20  | 2.75   | Winchester AA HS | Win209  | A0     | 16.9  | Claybuster 1075-20 | 3/4 oz     | 328          | 9600  | 1250 | Fold  |
| 151208-7503B  | 20  | 2.75   | Winchester AA HS | Win209  | A0     | 18.0  | Claybuster 1075-20 | 3/4 oz     | 328          | 10600 | 1325 | Fold  |
| 151215-7541   | 20  | 2.75   | Cheddite         | Ched209 | A0     | 17.0  | Federal 20S1       | 7/8 oz     | 382          | 9500  | 1200 | Fold  |
| 151207-7478B  | 20  | 2.75   | Cheddite         | Ched209 | A0     | 17.9  | Federal 20S1       | 7/8 oz     | 382          | 9800  | 1235 | Fold  |
| 151207-7480L  | 20  | 2.75   | Cheddite         | Ched209 | A0     | 19.0  | Federal 20S1       | 7/8 oz     | 382          | 10800 | 1285 | Fold  |
| 151207-7480   | 20  | 2.75   | Cheddite         | Ched209 | A0     | 20.0  | Federal 20S1       | 7/8 oz     | 382          | 11500 | 1350 | Fold  |
| 151202-7456   | 20  | 2.75   | Cheddite         | Ched209 | A0     | 18.0  | The Commander 20   | 7/8 oz     | 382          | 8500  | 1175 | Fold  |
| 151210-7520   | 20  | 2.75   | Cheddite         | Ched209 | A0     | 19.3  | The Commander 20   | 7/8 oz     | 382          | 9100  | 1250 | Fold  |
| 151202-7457B  | 20  | 2.75   | Cheddite         | Ched209 | A0     | 20.0  | The Commander 20   | 7/8 oz     | 382          | 9300  | 1275 | Fold  |
| 151210-7519   | 20  | 2.75   | Cheddite         | Ched209 | A0     | 20.4  | The Commander 20   | 7/8 oz     | 382          | 9800  | 1300 | Fold  |
| 151207-7490   | 20  | 2.75   | Cheddite         | Ched209 | A0     | 18.0  | Winchester WAA20   | 7/8 oz     | 382          | 9200  | 1215 | Fold  |
| 151207-7491L  | 20  | 2.75   | Cheddite         | Ched209 | A0     | 19.0  | Winchester WAA20   | 7/8 oz     | 382          | 9900  | 1285 | Fold  |
| 151207-7491   | 20  | 2.75   | Cheddite         | Ched209 | A0     | 20.0  | Winchester WAA20   | 7/8 oz     | 382          | 10400 | 1325 | Fold  |
| 151207-7481   | 20  | 2.75   | Federal FB       | Fed209A | A0     | 16.0  | Federal 20S1       | 7/8 oz     | 382          | 10800 | 1200 | Fold  |
| 151209-7509   | 20  | 2.75   | Federal FB       | Fed209A | A0     | 17.1  | Federal 20S1       | 7/8 oz     | 382          | 11000 | 1250 | Fold  |
| 151208-7504B  | 20  | 2.75   | Remington        | Rem209  | A0     | 15.1  | Winchester WAA20   | 7/8 oz     | 382          | 9600  | 1150 | Fold  |
| 151208-7505L  | 20  | 2.75   | Remington        | Rem209  | A0     | 16.0  | Winchester WAA20   | 7/8 oz     | 382          | 10000 | 1200 | Fold  |

AO

| Load ID   | Ga. | Length | Hull             | Primer  | Powder | Grns. | Wad               | Shot (oz.) | Shot (grns.) | PSI   | FPS  | Crimp |
|---|-----|--------|------------------|---------|--------|-------|-------------------|------------|--------------|-------|------|-------|
| <b>20-Gauge • 2¾" Length • A0 POWDER • Lead Shot • Fold Crimp (continued)</b> |     |        |                  |         |        |       |                   |            |              |       |      |       |
| 151008-7505   | 20  | 2.75   | Remington        | Rem209  | A0     | 16.8  | Winchester WAA20  | 7/8 oz     | 382          | 10500 | 1225 | Fold  |
| 151216-7557L  | 20  | 2.75   | Remington        | Rem209  | A0     | 17.4  | Winchester WAA20  | 7/8 oz     | 382          | 10800 | 1250 | Fold  |
| 151124-7438   | 20  | 2.75   | Rio              | Rio209  | A0     | 22    | The Commander 20  | 7/8 oz     | 382          | 9900  | 1350 | Fold  |
| 151208-7501   | 20  | 2.75   | Winchester AA HS | Win209  | A0     | 14.0  | Winchester WAA20  | 7/8 oz     | 382          | 10300 | 1135 | Fold  |
| 151221-7591   | 20  | 2.75   | Winchester AA HS | Win209  | A0     | 15.8  | Winchester WAA20  | 7/8 oz     | 382          | 10700 | 1200 | Fold  |
| 151210-7522   | 20  | 2.75   | Federal FB       | Fed209A | A0     | 14    | Sporting 20 Short | 1 oz       | 437          | 9600  | 1050 | Fold  |
| 151210-7521   | 20  | 2.75   | Cheddite         | Ched209 | A0     | 15    | Sporting 20 Mid   | 1 oz       | 437          | 8300  | 1000 | Fold  |

A0

**WARNING:** BALLISTIC PRODUCTS, INC., GRAF & SONS, INC., AND NOBELSPORT DISCLAIM ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".

| Load ID   | Ga. | Length | Hull               | Primer  | Powder | Grns. | Wad                     | Shot (oz.) | Shot (grns.) | PSI   | FPS  | Crimp |
|---|-----|--------|--------------------|---------|--------|-------|-------------------------|------------|--------------|-------|------|-------|
| <b>12-Gauge • 2¾" Length • A1 POWDER • Lead Shot • Fold Crimp</b> |     |        |                    |         |        |       |                         |            |              |       |      |       |
| 150706-6799   | 12  | 2.75   | Cheddite           | Ched209 | A1     | 20.0  | Competition Special     | 1 1/8 oz.  | 492          | 7200  | 1035 | Fold  |
| 150706-6798   | 12  | 2.75   | Cheddite           | Ched209 | A1     | 21.0  | Competition Special     | 1 1/8 oz.  | 492          | 7500  | 1075 | Fold  |
| 150706-6796   | 12  | 2.75   | Cheddite           | Ched209 | A1     | 23.0  | Competition Special     | 1 1/8 oz.  | 492          | 8100  | 1175 | Fold  |
| 150713-6870   | 12  | 2.75   | Cheddite           | Ched209 | A1     | 23.5  | Competition Special     | 1 1/8 oz.  | 492          | 9100  | 1235 | Fold  |
| 150706-6795   | 12  | 2.75   | Cheddite           | Ched209 | A1     | 22.5  | Federal 12S3            | 1 1/8 oz.  | 492          | 8400  | 1185 | Fold  |
| 150706-6795A  | 12  | 2.75   | Cheddite           | Ched209 | A1     | 22.8  | Federal 12S3            | 1 1/8 oz.  | 492          | 8500  | 1200 | Fold  |
| 150706-6789   | 12  | 2.75   | Cheddite           | Ched209 | A1     | 24.1  | Federal 12S3            | 1 1/8 oz.  | 492          | 9100  | 1250 | Fold  |
| 150713-6872A  | 12  | 2.75   | Cheddite           | Ched209 | A1     | 25.2  | Federal 12S3            | 1 1/8 oz.  | 492          | 10100 | 1300 | Fold  |
| 150713-6872   | 12  | 2.75   | Cheddite           | Ched209 | A1     | 25.4  | Federal 12S3            | 1 1/8 oz.  | 492          | 10300 | 1320 | Fold  |
| 150713-6869   | 12  | 2.75   | Cheddite           | Ched209 | A1     | 23.0  | Remington FIG8          | 1 1/8 oz.  | 492          | 8400  | 1200 | Fold  |
| 150713-6871   | 12  | 2.75   | Cheddite           | Ched209 | A1     | 24.2  | Helix Cushion Driver 24 | 1 1/8 oz.  | 492          | 9000  | 1250 | Fold  |
| 150706-6790   | 12  | 2.75   | Cheddite           | Ched209 | A1     | 22.8  | Remington TGT12         | 1 1/8 oz.  | 492          | 7800  | 1150 | Fold  |
| 150710-6855   | 12  | 2.75   | Cheddite           | Ched209 | A1     | 23.5  | Remington TGT12         | 1 1/8 oz.  | 492          | 8300  | 1200 | Fold  |
| 150430-6473   | 12  | 2.75   | Federal Field      | Fed209A | A1     | 20.0  | Federal 12S3            | 1 1/8 oz.  | 492          | 9100  | 1155 | Fold  |
| 150622-6663   | 12  | 2.75   | Federal Gold Medal | Fed209A | A1     | 21.5  | Federal 12S0            | 1 1/8 oz.  | 492          | 9100  | 1180 | Fold  |
| 150622-6663B  | 12  | 2.75   | Federal Gold Medal | Fed209A | A1     | 21.7  | Federal 12S0            | 1 1/8 oz.  | 492          | 9200  | 1200 | Fold  |
| 150619-6651A  | 12  | 2.75   | Federal Gold Medal | Fed209A | A1     | 22.0  | Federal 12S0            | 1 1/8 oz.  | 492          | 9400  | 1220 | Fold  |
| 150701-6736   | 12  | 2.75   | Federal Gold Medal | Fed209A | A1     | 21.7  | Federal 12S3            | 1 1/8 oz.  | 492          | 9000  | 1200 | Fold  |
| 151005-7267B  | 12  | 2.75   | Federal Gold Medal | Fed209A | A1     | 21.8  | Fiocchi 24              | 1 1/8 oz.  | 492          | 10400 | 1250 | Fold  |
| 151005-7277   | 12  | 2.75   | Federal Gold Medal | Fed209A | A1     | 22.5  | Fiocchi 24              | 1 1/8 oz.  | 492          | 10900 | 1350 | Fold  |
| 150520-6538   | 12  | 2.75   | Federal Gold Medal | Fed209A | A1     | 22.6  | Remington RXP12         | 1 1/8 oz.  | 492          | 10100 | 1250 | Fold  |
| 150701-6733   | 12  | 2.75   | Federal Gold Medal | Fed209A | A1     | 21.8  | Remington TGT12         | 1 1/8 oz.  | 492          | 8900  | 1200 | Fold  |
| 150709-6817   | 12  | 2.75   | Federal Gold Medal | Fed209A | A1     | 23.5  | Remington TGT12         | 1 1/8 oz.  | 492          | 10800 | 1300 | Fold  |
| 151005-7265   | 12  | 2.75   | Fiocchi            | FI0616  | A1     | 22.7  | Fiocchi 24              | 1 1/8 oz.  | 492          | 8700  | 1200 | Fold  |
| 151006-7276B  | 12  | 2.75   | Fiocchi            | Fio616  | A1     | 23.5  | Fiocchi 24              | 1 1/8 oz.  | 492          | 9200  | 1250 | Fold  |
| 150710-6848   | 12  | 2.75   | Remington STS      | Rem209  | A1     | 22.5  | Claybuster CB4118-12    | 1 1/8 oz.  | 492          | 9900  | 1250 | Fold  |
| 150622-6666   | 12  | 2.75   | Remington STS      | Rem209  | A1     | 21.0  | Remington R12L          | 1 1/8 oz.  | 492          | 8900  | 1165 | Fold  |
| 150622-6667B  | 12  | 2.75   | Remington STS      | Rem209  | A1     | 21.7  | Remington R12L          | 1 1/8 oz.  | 492          | 9500  | 1200 | Fold  |
| 150622-6667   | 12  | 2.75   | Remington STS      | Rem209  | A1     | 22.0  | Remington R12L          | 1 1/8 oz.  | 492          | 9700  | 1220 | Fold  |
| 150710-6847A  | 12  | 2.75   | Remington STS      | Rem209  | A1     | 22.7  | Remington R12L          | 1 1/8 oz.  | 492          | 9900  | 1250 | Fold  |

# A1

| Load ID   | Ga. | Length | Hull               | Primer  | Powder | Grns. | Wad                | Shot (oz.) | Shot (grns.) | PSI   | FPS  | Crimp |
|---|-----|--------|--------------------|---------|--------|-------|--------------------|------------|--------------|-------|------|-------|
| <b>12-Gauge • 2¾" Length • A1 POWDER • Lead Shot • Fold Crimp (continued)</b> |     |        |                    |         |        |       |                    |            |              |       |      |       |
| 150430-6472   | 12  | 2.75   | Remington STS      | Rem209  | A1     | 18.0  | Remington RXP12    | 1 1/8 oz.  | 492          | 8200  | 1055 | Fold  |
| 150629-6723   | 12  | 2.75   | Remington STS      | Rem209  | A1     | 20.5  | Remington RXP12    | 1 1/8 oz.  | 492          | 9000  | 1160 | Fold  |
| 150629-6724   | 12  | 2.75   | Remington STS      | Rem209  | A1     | 21.3  | Remington RXP12    | 1 1/8 oz.  | 492          | 9500  | 1200 | Fold  |
| 151014-7343   | 12  | 2.75   | Federal Gold Medal | Ched209 | A1     | 21.9  | Federal 1250       | 1 1/8 oz.  | 492          | 9000  | 1200 | Fold  |
| 151013-7331   | 12  | 2.75   | Remington STS      | Ched209 | A1     | 21.1  | Remington RXP12    | 1 1/8 oz.  | 492          | 9500  | 1200 | Fold  |
| 150710-6849A  | 12  | 2.75   | Remington STS      | Rem209  | A1     | 22.2  | Remington RXP12    | 1 1/8 oz.  | 492          | 10400 | 1250 | Fold  |
| 150629-6704   | 12  | 2.75   | Remington STS      | Rem209  | A1     | 21.5  | Winchester WAA12   | 1 1/8 oz.  | 492          | 9300  | 1200 | Fold  |
| 150520-6536   | 12  | 2.75   | Remington STS      | Rem209  | A1     | 22.5  | Winchester WAA12   | 1 1/8 oz.  | 492          | 10400 | 1250 | Fold  |
| 150630-6730B  | 12  | 2.75   | Winchester AA HS   | Win209  | A1     | 21.0  | Federal 1253       | 1 1/8 oz.  | 492          | 9700  | 1200 | Fold  |
| 150630-6730   | 12  | 2.75   | Winchester AA HS   | Win209  | A1     | 22.0  | Federal 1253       | 1 1/8 oz.  | 492          | 10500 | 1250 | Fold  |
| 150720-6961   | 12  | 2.75   | Winchester AA HS   | Win209  | A1     | 21.2  | Remington FIG8     | 1 1/8 oz.  | 492          | 9400  | 1200 | Fold  |
| 150629-6722   | 12  | 2.75   | Winchester AA HS   | Win209  | A1     | 22.2  | Remington RXP12    | 1 1/8 oz.  | 492          | 9900  | 1225 | Fold  |
| 150629-6705A  | 12  | 2.75   | Winchester AA HS   | Win209  | A1     | 21.1  | Winchester WAA12   | 1 1/8 oz.  | 492          | 9500  | 1200 | Fold  |
| 150629-6706   | 12  | 2.75   | Winchester AA HS   | Win209  | A1     | 22.5  | Winchester WAA12   | 1 1/8 oz.  | 492          | 10200 | 1250 | Fold  |
| <b>16-Gauge • 2¾" Length • A1 POWDER • Lead Shot • Fold Crimp</b>             |     |        |                    |         |        |       |                    |            |              |       |      |       |
| 151216-7548   | 16  | 2.75   | Cheddite           | Ched209 | A1     | 18.0  | Sporting 16        | 7/8 oz     | 382          | 7500  | 1150 | Fold  |
| <b>20-Gauge • 2¾" Length • A1 POWDER • Lead Shot • Fold Crimp</b>             |     |        |                    |         |        |       |                    |            |              |       |      |       |
| 151216-7553L  | 20  | 2.75   | Cheddite           | Ched209 | A1     | 15.2  | Claybuster 1075-20 | 3/4 oz     | 328          | 7900  | 1150 | Fold  |
| 151124-7436   | 20  | 2.75   | Cheddite           | Ched209 | A1     | 18.1  | Sporting 20 Long   | 3/4 oz     | 328          | 10000 | 1350 | Fold  |
| 151221-7588   | 20  | 2.75   | Federal FB         | Fed209A | A1     | 14.0  | Sporting 20 Long   | 3/4 oz     | 328          | 8300  | 1125 | Fold  |
| 151209-7510   | 20  | 2.75   | Federal FB         | Fed209A | A1     | 17.2  | Sporting 20 Long   | 3/4 oz     | 328          | 11100 | 1350 | Fold  |
| 151221-7594   | 20  | 2.75   | Remington          | Rem209  | A1     | 14    | Claybuster 1075-20 | 3/4 oz     | 328          | 10100 | 1200 | Fold  |
| 151216-7554   | 20  | 2.75   | Remington          | Rem209  | A1     | 13.8  | Winchester WAA20   | 3/4 oz     | 328          | 9900  | 1200 | Fold  |
| 151208-7498   | 20  | 2.75   | Remington          | Rem209  | A1     | 14.9  | Winchester WAA20   | 3/4 oz     | 328          | 10900 | 1250 | Fold  |
| 151204-7474   | 20  | 2.75   | Remington          | Rem209  | A1     | 15.8  | Winchester WAA20   | 3/4 oz     | 328          | 11500 | 1300 | Fold  |
| 151221-7595   | 20  | 2.75   | Winchester AA HS   | Win209  | A1     | 13.5  | CB1075-20          | 3/4 oz     | 328          | 9700  | 1175 | Fold  |
| 151221-7596   | 20  | 2.75   | Winchester AA HS   | Win209  | A1     | 13.5  | Winchester WAA20   | 3/4 oz     | 328          | 9000  | 1150 | Fold  |
| 151221-7586   | 20  | 2.75   | Winchester AA HS   | Win209  | A1     | 14    | Winchester WAA20   | 3/4 oz     | 328          | 9300  | 1175 | Fold  |
| 151221-7597   | 20  | 2.75   | Winchester AA HS   | Win209  | A1     | 14.5  | Winchester WAA20   | 3/4 oz     | 328          | 9500  | 1200 | Fold  |

# A1



| Load ID   | Ga. | Length | Hull             | Primer  | Powder | Grns. | Wad                | Shot (oz.) | Shot (grns.) | PSI   | FPS  | Crimp |
|---|-----|--------|------------------|---------|--------|-------|--------------------|------------|--------------|-------|------|-------|
| <b>20-Gauge • 2¾" Length • A1 POWDER • Lead Shot • Fold Crimp (continued)</b> |     |        |                  |         |        |       |                    |            |              |       |      |       |
| 151210-7518   | 20  | 2.75   | Cheddite         | Ched209 | A1     | 15.8  | Federal 20S1       | 7/8 oz     | 382          | 10900 | 1200 | Fold  |
| 151221-7590   | 20  | 2.75   | Cheddite         | Ched209 | A1     | 17.3  | Sporting 20 Mid    | 7/8 oz     | 382          | 10700 | 1250 | Fold  |
| 151216-7558L  | 20  | 2.75   | Winchester AA HS | Win209  | A1     | 13.6  | Claybuster 1078-20 | 7/8 oz     | 382          | 10800 | 1150 | Fold  |
| 151204-7477   | 20  | 2.75   | Cheddite         | Ched209 | A1     | 15    | Sporting 20 Short  | 1 oz       | 437          | 11000 | 1125 | Fold  |

# A1

**WARNING:** BALLISTIC PRODUCTS, INC., GRAF & SONS, INC., AND NOBELSPORT DISCLAIM ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".

| Load ID  | Ga. | Length | Hull             | Primer | Powder | Grns. | Wad                 | Shot (oz.) | Shot (grns.) | PSI   | FPS  | Crimp |
|--|-----|--------|------------------|--------|--------|-------|---------------------|------------|--------------|-------|------|-------|
| <b>12-Gauge • 2¾" Length • A24 POWDER • Lead Shot • Fold Crimp</b> |     |        |                  |        |        |       |                     |            |              |       |      |       |
| 150811-7046  | 12  | 2.75   | Winchester AA HS | Win209 | A24    | 18.0  | Winchester WAA12L   | 7/8 oz.    | 382          | 10200 | 1300 | Fold  |
| 150803-7017  | 12  | 2.75   | Winchester AA HS | Win209 | A24    | 18.5  | Winchester WAA12L   | 7/8 oz.    | 382          | 10800 | 1325 | Fold  |
| 150811-7044  | 12  | 2.75   | Winchester AA HS | Win209 | A24    | 18.9  | Winchester WAA12L   | 7/8 oz.    | 382          | 11000 | 1350 | Fold  |
| 150803-7016  | 12  | 2.75   | Winchester AA HS | Win209 | A24    | 17.1  | Claybuster 4100-12B | 7/8 oz.    | 382          | 10000 | 1265 | Fold  |
| 150811-7048  | 12  | 2.75   | Winchester AA HS | Win209 | A24    | 17.9  | Claybuster 4100-12B | 7/8 oz.    | 382          | 10300 | 1300 | Fold  |

# A24

**WARNING:** BALLISTIC PRODUCTS, INC., GRAF & SONS, INC., AND NOBELSPORT DISCLAIM ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".

| Load ID  | Ga. | Length | Hull               | Primer  | Powder | Grns. | Wad             | Shot (oz.) | Shot (grns.) | PSI   | FPS  | Crimp |
|--|-----|--------|--------------------|---------|--------|-------|-----------------|------------|--------------|-------|------|-------|
| <b>12-Gauge • 2¾" Length • D20 POWDER • Lead Shot • Fold Crimp</b> |     |        |                    |         |        |       |                 |            |              |       |      |       |
| 150504-6489  | 12  | 2.75   | Federal Field      | Fed209A | D20    | 21.0  | Federal 12S0    | 1 oz.      | 437          | 7800  | 1185 | Fold  |
| 150625-6691  | 12  | 2.75   | Federal Gold Medal | Fed209A | D20    | 19.2  | Federal 12S0    | 1 oz.      | 437          | 8400  | 1185 | Fold  |
| 150625-6691B   | 12  | 2.75   | Federal Gold Medal | Fed209A | D20    | 19.4  | Federal 12S0    | 1 oz.      | 437          | 8500  | 1200 | Fold  |
| 150610-6605  | 12  | 2.75   | Federal Gold Medal | Fed209A | D20    | 21.2  | Federal 12S0    | 1 oz.      | 437          | 9200  | 1250 | Fold  |
| 151013-7332  | 12  | 2.75   | Federal Gold Medal | Ched209 | D20    | 21.4  | Federal 12S0    | 1 oz.      | 437          | 8500  | 1250 | Fold  |
| 150625-6692  | 12  | 2.75   | Federal Gold Medal | Fed209A | D20    | 22.1  | Federal 12S0    | 1 oz.      | 437          | 10000 | 1300 | Fold  |
| 150504-6488  | 12  | 2.75   | Federal Gold Medal | Fed209A | D20    | 23.0  | Federal 12S0    | 1 oz.      | 437          | 10500 | 1340 | Fold  |
| 150610-6606A   | 12  | 2.75   | Federal Gold Medal | Fed209A | D20    | 23.2  | Federal 12S0    | 1 oz.      | 437          | 10600 | 1350 | Fold  |
| 150709-6811B   | 12  | 2.75   | Federal Gold Medal | Fed209A | D20    | 19.6  | Remington TGT12 | 1 oz.      | 437          | 8600  | 1200 | Fold  |
| 150709-6811  | 12  | 2.75   | Federal Gold Medal | Fed209A | D20    | 19.8  | Remington TGT12 | 1 oz.      | 437          | 8700  | 1220 | Fold  |
| 150720-6954  | 12  | 2.75   | Federal Gold Medal | Fed209A | D20    | 21.4  | Remington TGT12 | 1 oz.      | 437          | 9100  | 1250 | Fold  |
| 151006-7279  | 12  | 2.75   | Fiocchi            | Fio616  | D20    | 21.7  | Fiocchi 27      | 1 oz.      | 437          | 8300  | 1250 | Fold  |
| 151013-7333  | 12  | 2.75   | Remington STS      | Ched209 | D20    | 22.3  | Remington FIG8  | 1 oz.      | 437          | 10800 | 1350 | Fold  |
| 150702-6764  | 12  | 2.75   | Remington STS      | Rem209  | D20    | 22.5  | Remington FIG8  | 1 oz.      | 437          | 9300  | 1300 | Fold  |
| 150501-6474  | 12  | 2.75   | Remington STS      | Rem209  | D20    | 20.0  | Remington R12L  | 1 oz.      | 437          | 8200  | 1175 | Fold  |
| 150501-6475L   | 12  | 2.75   | Remington STS      | Rem209  | D20    | 20.3  | Remington R12L  | 1 oz.      | 437          | 8500  | 1200 | Fold  |
| 150702-6761B   | 12  | 2.75   | Remington STS      | Rem209  | D20    | 21.5  | Remington R12L  | 1 oz.      | 437          | 9000  | 1250 | Fold  |
| 150501-6475  | 12  | 2.75   | Remington STS      | Rem209  | D20    | 22.0  | Remington R12L  | 1 oz.      | 437          | 9500  | 1280 | Fold  |
| 150612-6632B   | 12  | 2.75   | Remington STS      | Rem209  | D20    | 22.4  | Remington R12L  | 1 oz.      | 437          | 9800  | 1300 | Fold  |
| 150702-6762  | 12  | 2.75   | Remington STS      | Rem209  | D20    | 20.5  | Remington TGT12 | 1 oz.      | 437          | 8400  | 1215 | Fold  |
| 150715-6916A   | 12  | 2.75   | Remington STS      | Rem209  | D20    | 21.4  | Remington TGT12 | 1 oz.      | 437          | 8800  | 1250 | Fold  |
| 150720-6951  | 12  | 2.75   | Winchester AA HS   | Win209  | D20    | 19.6  | Remington FIG8  | 1 oz       | 437          | 8500  | 1200 | Fold  |
| 150706-6777  | 12  | 2.75   | Winchester AA HS   | Win209  | D20    | 20.0  | Remington FIG8  | 1 oz       | 437          | 8800  | 1225 | Fold  |
| 150625-6694A   | 12  | 2.75   | Winchester AA HS   | Win209  | D20    | 20.4  | Remington FIG8  | 1 oz       | 437          | 9200  | 1250 | Fold  |
| 150723-6974  | 12  | 2.75   | Winchester AA HS   | Win209  | D20    | 21.3  | Remington FIG8  | 1 oz       | 437          | 10000 | 1300 | Fold  |
| 151013-7334  | 12  | 2.75   | Winchester AA HS   | Ched209 | D20    | 19.5  | Remington RXP12 | 1 oz.      | 437          | 9000  | 1225 | Fold  |
| 150709-6825  | 12  | 2.75   | Winchester AA HS   | Win209  | D20    | 19.7  | Remington RXP12 | 1 oz       | 437          | 8500  | 1200 | Fold  |
| 150706-6779A   | 12  | 2.75   | Winchester AA HS   | Win209  | D20    | 20.1  | Remington RXP12 | 1 oz       | 437          | 8800  | 1220 | Fold  |
| 150720-6952A   | 12  | 2.75   | Winchester AA HS   | Win209  | D20    | 20.7  | Remington RXP12 | 1 oz       | 437          | 9100  | 1250 | Fold  |
| 150706-6780  | 12  | 2.75   | Winchester AA HS   | Win209  | D20    | 21.5  | Remington RXP12 | 1 oz       | 437          | 9900  | 1300 | Fold  |

# D20

| Load ID  | Ga. | Length | Hull               | Primer  | Powder | Grns. | Wad                     | Shot (oz.) | Shot (grns.) | PSI   | FPS  | Crimp |
|--|-----|--------|--------------------|---------|--------|-------|-------------------------|------------|--------------|-------|------|-------|
| <b>12-Gauge • 2¾" Length • D20 POWDER • Lead Shot • Fold Crimp (continued)</b> |     |        |                    |         |        |       |                         |            |              |       |      |       |
| 150709-6826  | 12  | 2.75   | Winchester AA HS   | Win209  | D20    | 19.5  | Remington TGT12         | 1 oz       | 437          | 8500  | 1200 | Fold  |
| 150706-6778  | 12  | 2.75   | Winchester AA HS   | Win209  | D20    | 20.0  | Remington TGT12         | 1 oz       | 437          | 8900  | 1225 | Fold  |
| 150720-6950  | 12  | 2.75   | Winchester AA HS   | Win209  | D20    | 20.5  | Remington TGT12         | 1 oz       | 437          | 9200  | 1250 | Fold  |
| 150709-6827  | 12  | 2.75   | Winchester AA HS   | Win209  | D20    | 21.3  | Remington TGT12         | 1 oz       | 437          | 9700  | 1275 | Fold  |
| 150706-6792  | 12  | 2.75   | Cheddite           | Ched209 | D20    | 22.1  | Remington TGT12         | 1 1/8 oz.  | 492          | 9000  | 1225 | Fold  |
| 150713-6866A   | 12  | 2.75   | Cheddite           | Ched209 | D20    | 22.8  | Remington TGT12         | 1 1/8 oz.  | 492          | 9300  | 1250 | Fold  |
| 150706-6791  | 12  | 2.75   | Cheddite           | Ched209 | D20    | 23.8  | Remington TGT12         | 1 1/8 oz.  | 492          | 10200 | 1300 | Fold  |
| 150622-6676A   | 12  | 2.75   | Cheddite           | Ched209 | D20    | 23.0  | Federal 1250            | 1 1/8 oz.  | 492          | 8200  | 1250 | Fold  |
| 150622-6676B   | 12  | 2.75   | Cheddite           | Ched209 | D20    | 24.1  | Federal 1250            | 1 1/8 oz.  | 492          | 9800  | 1300 | Fold  |
| 150501-6481  | 12  | 2.75   | Cheddite           | Ched209 | D20    | 20.0  | Helix Cushion Driver 24 | 1 1/8 oz.  | 492          | 7500  | 1100 | Fold  |
| 150501-6482B   | 12  | 2.75   | Cheddite           | Ched209 | D20    | 21.8  | Short Range Crusher     | 1 1/8 oz.  | 492          | 9000  | 1200 | Fold  |
| 150501-6482  | 12  | 2.75   | Cheddite           | Ched209 | D20    | 22.0  | Short Range Crusher     | 1 1/8 oz.  | 492          | 9100  | 1215 | Fold  |
| 150713-6868  | 12  | 2.75   | Cheddite           | Ched209 | D20    | 22.8  | Short Range Crusher     | 1 1/8 oz.  | 492          | 9500  | 1250 | Fold  |
| 150710-6860  | 12  | 2.75   | Cheddite           | Ched209 | D20    | 23.4  | Short Range Crusher     | 1 1/8 oz.  | 492          | 10200 | 1275 | Fold  |
| 150501-6480  | 12  | 2.75   | Cheddite           | Ched209 | D20    | 20.0  | Z21 Trap Commander      | 1 1/8 oz.  | 492          | 7900  | 1125 | Fold  |
| 150501-6483  | 12  | 2.75   | Cheddite           | Ched209 | D20    | 21.9  | Z21 Trap Commander      | 1 1/8 oz.  | 492          | 8800  | 1200 | Fold  |
| 150710-6859A   | 12  | 2.75   | Cheddite           | Ched209 | D20    | 22.7  | Z21 Trap Commander      | 1 1/8 oz.  | 492          | 9600  | 1250 | Fold  |
| 150610-6607  | 12  | 2.75   | Cheddite           | Ched209 | D20    | 23.5  | Z21 Trap Commander      | 1 1/8 oz.  | 492          | 10500 | 1300 | Fold  |
| 150504-6487  | 12  | 2.75   | Federal Gold Medal | Fed209A | D20    | 20.0  | Federal 1250            | 1 1/8 oz.  | 492          | 9200  | 1160 | Fold  |
| 150630-6725  | 12  | 2.75   | Federal Gold Medal | Fed209A | D20    | 20.8  | Federal 1253            | 1 1/8 oz.  | 492          | 9700  | 1200 | Fold  |
| 150630-6726  | 12  | 2.75   | Federal Gold Medal | Fed209A | D20    | 22.0  | Federal 1253            | 1 1/8 oz.  | 492          | 10500 | 1250 | Fold  |
| 151006-7280  | 12  | 2.75   | Federal Gold Medal | Fed209A | D20    | 20.7  | Fiocchi 24              | 1 1/8 oz.  | 492          | 10800 | 1300 | Fold  |
| 150630-6727A   | 12  | 2.75   | Federal Gold Medal | Fed209A | D20    | 22.4  | Remington FIG8          | 1 1/8 oz.  | 492          | 10200 | 1250 | Fold  |
| 150701-6738  | 12  | 2.75   | Federal Gold Medal | Fed209A | D20    | 20.8  | Remington TGT12         | 1 1/8 oz.  | 492          | 9200  | 1200 | Fold  |
| 150629-6708  | 12  | 2.75   | Federal Gold Medal | Fed209A | D20    | 21.0  | Winchester WAA12        | 1 1/8 oz.  | 492          | 9300  | 1200 | Fold  |
| 150629-6707  | 12  | 2.75   | Federal Gold Medal | Fed209A | D20    | 22.5  | Winchester WAA12        | 1 1/8 oz.  | 492          | 10600 | 1275 | Fold  |
| 151005-7271  | 12  | 2.75   | Fiocchi            | Fio616  | D20    | 21.7  | Fiocchi 24              | 1 1/8 oz.  | 492          | 9200  | 1200 | Fold  |
| 151006-7278  | 12  | 2.75   | Fiocchi            | Fio616  | D20    | 23.1  | Fiocchi 24              | 1 1/8 oz.  | 492          | 10200 | 1350 | Fold  |
| 150501-6479  | 12  | 2.75   | Remington STS      | Rem209  | D20    | 18.0  | Remington R12L          | 1 1/8 oz.  | 492          | 8600  | 1100 | Fold  |
| 150622-6665A   | 12  | 2.75   | Remington STS      | Rem209  | D20    | 20.4  | Remington R12L          | 1 1/8 oz.  | 492          | 9400  | 1200 | Fold  |

# D20

| Load ID  | Ga. | Length | Hull             | Primer  | Powder | Grns. | Wad                 | Shot (oz.) | Shot (grns.) | PSI   | FPS  | Crimp |
|--|-----|--------|------------------|---------|--------|-------|---------------------|------------|--------------|-------|------|-------|
| <b>12-Gauge • 2¾" Length • D20 POWDER • Lead Shot • Fold Crimp (continued)</b> |     |        |                  |         |        |       |                     |            |              |       |      |       |
| 150715-6917  | 12  | 2.75   | Remington STS    | Rem209  | D20    | 22.3  | Remington R12L      | 1 1/8 oz.  | 492          | 10100 | 1250 | Fold  |
| 150629-6720  | 12  | 2.75   | Remington STS    | Rem209  | D20    | 20.5  | Remington RXP12     | 1 1/8 oz.  | 492          | 9700  | 1200 | Fold  |
| 150629-6711  | 12  | 2.75   | Remington STS    | Rem209  | D20    | 20.6  | Winchester WAA12    | 1 1/8 oz.  | 492          | 9500  | 1200 | Fold  |
| 150630-6728  | 12  | 2.75   | Winchester AA HS | Win209  | D20    | 19.6  | Federal 12S3        | 1 1/8 oz.  | 492          | 10100 | 1200 | Fold  |
| 150629-6710  | 12  | 2.75   | Winchester AA HS | Win209  | D20    | 20.2  | Winchester WAA12    | 1 1/8 oz.  | 492          | 9700  | 1200 | Fold  |
| 150629-6709  | 12  | 2.75   | Winchester AA HS | Win209  | D20    | 21.0  | Winchester WAA12    | 1 1/8 oz.  | 492          | 10500 | 1235 | Fold  |
| 150709-6828  | 12  | 2.75   | Winchester AA HS | Win209  | D20    | 21.2  | Winchester WAA12    | 1 1/8 oz.  | 492          | 10800 | 1250 | Fold  |
| <b>16-Gauge • 2¾" Length • D20 POWDER • Lead Shot • Fold Crimp</b>             |     |        |                  |         |        |       |                     |            |              |       |      |       |
| 151216-7551  | 16  | 2.75   | Cheddite         | Ched209 | D20    | 18.0  | Sporting 16         | 1 oz       | 437          | 9000  | 1200 | Fold  |
| 151221-7581  | 16  | 2.75   | Cheddite         | Ched209 | D20    | 19.0  | Sporting 16         | 1 oz       | 437          | 10600 | 1250 | Fold  |
| 151221-7584  | 16  | 2.75   | Federal FB       | Fed209A | D20    | 18    | Z16 Field Commander | 1 oz       | 437          | 10800 | 1200 | Fold  |
| <b>20-Gauge • 2¾" Length • D20 POWDER • Lead Shot • Fold Crimp</b>             |     |        |                  |         |        |       |                     |            |              |       |      |       |
| 151209-7515  | 20  | 2.75   | Cheddite         | Ched209 | D20    | 15.7  | Sporting 20 Mid     | 7/8 oz     | 382          | 10500 | 1200 | Fold  |
| 151208-7492  | 20  | 2.75   | Cheddite         | Ched209 | D20    | 16.9  | Sporting 20 Mid     | 7/8 oz     | 382          | 10900 | 1250 | Fold  |

# D20

**WARNING:** BALLISTIC PRODUCTS, INC., GRAF & SONS, INC., AND NOBELSPORT DISCLAIM ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".

| Load ID   | Ga. | Length | Hull               | Primer  | Powder | Grns. | Wad                | Shot (oz.) | Shot (grns.) | PSI  | FPS  | Crimp |
|---|-----|--------|--------------------|---------|--------|-------|--------------------|------------|--------------|------|------|-------|
| <b>12-Gauge • 2¾" Length • 206V POWDER • Lead Shot • Fold Crimp</b> |     |        |                    |         |        |       |                    |            |              |      |      |       |
| 151006-7281   | 12  | 2.75   | Fiocchi            | Fio616  | 206V   | 19.4  | Fiocchi 27         | 1 oz.      | 437          | 7400 | 1200 | Fold  |
| 151005-7273   | 12  | 2.75   | Federal Gold Medal | Fed209A | 206V   | 19.0  | Fiocchi 27         | 1 oz.      | 437          | 9000 | 1200 | Fold  |
| 151013-7335   | 12  | 2.75   | Remington STS      | Ched209 | 206V   | 18.4  | Remington TGT12    | 1 oz.      | 437          | 8900 | 1200 | Fold  |
| 150803-7015   | 12  | 2.75   | Remington STS      | Rem209  | 206V   | 18.5  | Remington TGT12    | 1 oz.      | 437          | 8500 | 1200 | Fold  |
| 151013-7336   | 12  | 2.75   | Winchester AA HS   | Ched209 | 206V   | 19.4  | Winchester WAA12SL | 1 oz.      | 437          | 9000 | 1225 | Fold  |
| 150803-7021   | 12  | 2.75   | Winchester AA HS   | Win209  | 206V   | 19.5  | Winchester WAA12SL | 1 oz.      | 437          | 8900 | 1225 | Fold  |

# 206V

**WARNING:** BALLISTIC PRODUCTS, INC., GRAF & SONS, INC., AND NOBELSPORT DISCLAIM ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".

# Component Abbreviation Chart

|                          |  |           |                          |   |           |   |   |            |
|--------------------------|--|-----------|--------------------------|---|-----------|---|---|------------|
| + .....                  | load tested w / specified shot size and larger ..... | na        | CSD16.....               | 7/8 oz. Cushioned Shot Driver, 16ga.....            | #0207016  | Lee Drive-Key Slug, 7/8 oz Lee Drive-Key Slug, 12ga 7/8 oz..... | #LEE90282   |            |
| - .....                  | load tested w / specified shot size and smaller..... | na        | CTX Copper/Frangible..   | 3/4 oz. CTX Frangible Slug, 12ga .....              | #336CTX12 | Lee Drive-Key Slug, 1 oz. Lee Drive-Key Slug, 12ga 1 oz. ....   | #LEE90281   |            |
| .410 Thug Slug .....     | 8 gram Thug Slug, .410 .....                         | #1264100  | Dangerous Game Slug..    | Dangerous Game Slug .....                           |           | Light Game Slug .....   | Light Game Slug .....                               |            |
| 12ga 1 oz. Thug Slug.... | 1 oz. Thug Slug, 12ga .....                          | #1261228  |                          | 12ga.....   | #0721612  | 28ga. ....  | #0721628  |            |
| 12ga 1 1/8 oz. Thug Slug | 1 1/8 oz. Thug Slug, 12ga .....                      | #1261232  |                          | 16ga.....   | #0721616  | .410 .....  | #0721641  |            |
| 14C*.....                | 1/4" card wad (*relevant gauge) .....                | #14C**    | DGS Thunderbolt Slug..   | "Thunderbolt" Dangerous Game Slug, 12ga .....       | #0721620  | Lil' Gun.....   | Hodgdon Lil' Gun powder .....                       | #081120*   |
| 14CW*.....               | 1/4" cork wad (*relevant gauge).....                 | #12224**  | DX12.....                | Dispensor-X wad, 12ga .....                         | #0721613  | Longshot.....   | Hodgdon Longshot powder .....                       | #081050*   |
| 14FW*.....               | 1/4" felt wad (*relevant gauge).....                 | #12214**  | DX12S.....               | Dispensor-X Short wad, 12ga.....                    | #072DX12  | MG410.....  | MG410 wad, .410 .....                               | #072MG410  |
| 18CW*.....               | 3/8" cork wad (*relevant gauge).....                 | #12228**  | DX20.....                | Dispensor-X wad, 20ga.....                          | #072DX20  | MG42.....   | MG42 Wad, 12ga.....                                 | #072MG42   |
| 18FW*.....               | 3/8" felt wad (*relevant gauge).....                 | #12218**  | E3.....                  | Alliant E-3 powder .....                            | #018333*  | Mica.....   | Mica Wad Slick Lubricant.....                       | #MICA      |
| 20ga 7/8 oz. Thug Slug.. | 7/8 oz. Thug Slug, 20ga.....                         | #1262025  | EML.....                 | European Mighty Lite, 12ga.....                     | #072EML   | MM1035.....   | Multi-Metal 3 1/2" wad, 10ga.....                   | #3221035   |
| 38W*.....                | 3/8" waxed card wad (*relevant gauge).....           | #38W**    | FC*.....                 | 1/2" fiber card (*relevant gauge).....              | #FC**     | MM1230.....   | Multi-Metal 3" wad, 12ga.....                       | #3221230   |
| 700X.....                | Hodgdon Hi-Skor 700-X powder .....                   | #090700*  | Fed209A.....             | Federal 209A primer .....                           | #209A     | MM1235.....   | Multi-Metal 3 1/2" wad, 12ga.....                   | #3221235   |
| 800X.....                | Hodgdon Hi-Skor 800-X powder .....                   | #090800*  | Federal.....             | Federal hull.....                                   | #062****  | MM1275.....   | Multi-Metal 2 3/4" wad, 12ga.....                   | #3221275   |
| AA Sup. Handicap .....   | Winchester Super Handicap powder.....                | #235SH0*  | Federal (paper).....     | Federal paper hull.....                             | #FPAP121  | MY1620.....   | 16-20ga Mylar™ wraps .....                          | #MY1620    |
| Accurate 4100 .....      | Accurate 4100 powder .....                           | na        | Federal (paper).....     | Federal paper hull.....                             | #FPAP121  | MYTHICK.....  | Thick Mylar™ wraps .....                            | #MYTHICK   |
| Alliant 20/28.....       | Alliant 20/28 powder.....                            | #0182028* | Federal FB.....          | Federal hull (fiber basewad).....                   | na        | MYTHIN.....   | Thin Mylar™ wraps .....                             | #MYTHIN    |
| Alliant 2400 .....       | Alliant 2400 powder .....                            | #0182400  | Federal PB.....          | Federal hull (plastic basewad).....                 | na        | MYSLIM.....   | Slim Mylar™ wraps .....                             | #MYSLIM    |
| Alliant 410.....         | Alliant 410 powder .....                             | #018410*  | Fio616.....              | Fiocchi 616 primer .....                            | #F616     | N209.....   | NobelSport 209 primer .....                         | #N209      |
| American Select.....     | Alliant American Select powder .....                 | #018040*  | Fiocchi.....             | Fiocchi hull.....                                   | #064****  | N7*.....  | Mini Nitro Card (*relevant gauge) .....             | #N7**      |
| AQT2.....                | NobelSport-Cheddite AQT2 wad.....                    | #139AQT2  | Fiocchi (paper).....     | Fiocchi paper hull .....                            | na        | NC*.....  | Maxi Nitro Card (*relevant gauge).....              | #NC**      |
| Blue Dot.....            | Alliant Blue Dot powder.....                         | #018080*  | Foster Slug.....         | Foster Slug, 12ga .....                             | #7000002  | Non-Toxic Green Slug...   | Non-Toxic Green Slug, 12ga .....                    | #7000005   |
| BP12.....                | BP12 wad, 12ga .....                                 | #3221203  | FS12.....                | Flex Seal cushioned gas seal, 12ga.....             | #072FS12  | NP*.....  | Nickel Plated lead shot (*indicate shot size) ..... | #NP**      |
| BPD10.....               | BPD10 wad, 10ga.....                                 | #3221000  | g.....                   | grams (28.35 grams = 1 ounce).....                  | na        | OB*.....  | Obturator gas seal (*relevant gauge) .....          | #020**     |
| BPD10T.....              | BPD10-Tuff steel shot wad, 10ga .....                | #3221001  | grns.....                | grains (437.5 grains = 1 ounce) .....               | na        | OS*.....  | Overshot Card (*relevant gauge) .....               | #OS*       |
| BPGS.....                | Ballistic Products Gas Seal .....                    | #3221200  | Green Dot.....           | Alliant Green Dot powder .....                      | #018030*  | OSBP12.....   | Overshot Card w/ BPI Logo, 12ga.....                | #OSBP12    |
| Buffer.....              | Ballistic Products shot buffer .....                 | see notes | GS2.....                 | GS2 Air Wedge gas seal, 12ga .....                  | #3221222  | PB.....   | IMR PB powder .....                                 | na         |
| Bullseye.....            | Alliant Bullseye powder .....                        | #018010*  | GTT1.....                | NobelSport-Cheddite GTT1 wad .....                  | #139GTT1  | PISK.....   | Piston Skeet wad, 12ga.....                         | #072PISK   |
| BW12.....                | Brush wad (Original), 12ga .....                     | #072BW12  | GTT3.....                | NobelSport-Cheddite GTT3 wad .....                  | #139GTT3  | PISK-LITE.....  | Piston Skeet Lite wad, 12ga.....                    | #072PISKL  |
| BW20.....                | Brush wad, 20ga.....                                 | #072BW20  | H-110.....               | Hodgdon H-110 powder .....                          | #081110*  | PLC*.....   | 1/2" pre-lubed fiber card (*relevant gauge) .....   | #PLC**     |
| BW24.....                | Brush wad, 24ga.....                                 | #072BW24  | HCD18.....               | Helix Cushion Driver 18 wad, 12ga.....              | #020HCD18 | Pro Reach.....  | Alliant Pro Reach powder .....                      | #018PRO*   |
| BW28.....                | Brush wad, 28ga.....                                 | #072BW28  | HCD21.....               | Helix Cushion Driver 21 wad, 12ga.....              | #020HCD21 | PT1044.....   | PT1044 wad, 10ga .....                              | #222PT1044 |
| BX410.....               | BX410 wad, .410.....                                 | #072BX410 | HCD24.....               | Helix Cushion Driver 24 wad, 12ga.....              | #020HCD24 | PT1220.....   | PT1220 wad, 12ga.....                               | #222PT1220 |
| CCI209.....              | CCI 209 primer .....                                 | #CCI      | HCW*.....                | 1/2" waxed hard card wad (*relevant gauge).....     | #HCW**    | PT20GS.....   | PT20GS gas seal, 20ga .....                         | #222PT20GS |
| CCI209M.....             | CCI 209 magnum primer.....                           | #CCIM     | Herco.....               | Alliant Herco powder.....                           | #018050*  | Pumpkin Ball Slug.....  | Pumpkin Ball Slug, 10/12ga.....                     | #7000004   |
| Ched209.....             | Cheddite 209 primer.....                             | #Ched209  | Hevi-Shot™.....          | Hevi-Shot™ non-toxic shot .....                     | #05500**  | Ranger Plus.....  | Ranger Plus steel wad, 12ga .....                   | #3221202   |
| Cheddite.....            | Cheddite/MultiHull hull .....                        | #139****  | HS-6.....                | Hodgdon HS-6 powder .....                           | #0810601  | Red Dot.....  | Alliant Red Dot powder .....                        | #018020*   |
| Cheddite (paper).....    | Cheddite/MultiHull paper hull.....                   | #13912PAP | HV28.....                | HV28 large-capacity wad, 28ga.....                  | #072HV28  | Rem209P.....  | Remington 209 STS primer.....                       | #R209      |
| Clays.....               | Hodgdon Clays powder.....                            | #081010*  | IMR 4227.....            | IMR 4227 powder.....                                | na        | Rem. Nitro Mag.....   | Remington Nitro Mag hull .....                      | na         |
| CLBC.....                | Cushioned LBC wad, 12ga .....                        | #0729012  | International Clays..... | Hodgdon International Clays powder.....             | #081020*  | Rem. Nitro/STL.....   | Remington Nitro/STL.....                            | na         |
| COS12.....               | Clear Overshot Disc, 12ga.....                       | #COS12    | ITX Original-10™.....    | ITX Original-10™ non-toxic shot.....                | #TX**     | Rem. Premier.....   | Remington Premier hull .....                        | na         |
| CS12.....                | Competition Special wad, 12ga .....                  | #072CS12  | ITX Extreme-13™.....     | ITX Extreme Turkey Trauma-13™ non-toxic shot#TXTT** |           | Remington.....  | Remington hull .....                                | na         |
| CS12S.....               | Competition Special Short wad, 12ga.....             | #072CS12S | L078.....                | Lightning 7/8 oz. wad, 12ga.....                    | #020L078  | Remington SP.....   | Remington SP hull .....                             | na         |
| CSD020.....              | Cushioned Shot Driver, 20ga.....                     | #0207020  | LB12.....                | Light Brush wad, 12ga .....                         | #072LB12  | Remington STS.....  | Remington STS hull .....                            | na         |
| CSD078.....              | 7/8 oz. Cushioned Shot Driver, 12ga .....            | #0207078  | LBC Sabot Slug.....      | LBC Sabot Slug, 12ga .....                          | #0721610  | REX24.....  | Rex 24-Gram wad, 12ga .....                         | #072REX    |
| CSD100.....              | 1 oz. Cushioned Shot Driver, 12ga .....              | #0207100  | LBC30.....               | 30mm Limited Bore Contact wad, 12ga.....            | #0729030  | Rio209.....   | Rio 209 primer .....                                | #RIO209    |
| CSD118.....              | 1 1/8 oz. Cushioned Shot Driver, 12ga .....          | #0207118  | LBC43.....               | 43mm Limited Bore Contact wad, 12ga.....            | #0729043  | Rio.....  | Rio hull .....                                      | #RIO*****  |
| CSD114.....              | 1 1/4 oz. Cushioned Shot Driver, 12ga .....          | #0207114  | LBC50.....               | 50mm Limited Bore Contact wad, 12ga.....            | #0729050  | Rio (Eley).....   | Rio/Eley 2 1/2" hull .....                          | #RIO1265   |

# Component Abbreviation Chart

|                   |  |           |
|-------------------|--|-----------|
| SF12              | Spitfire wad, 12ga                     | #072SF12  |
| SG16              | Sporting 16 wad, 16ga                  | #072SG16  |
| SG16S             | Sporting 16 Short wad                  | #072SG16S |
| SG20L             | Sporting 20 Long wad, 20ga             | #072SG20L |
| SG20M             | Sporting 20 Mid wad, 20ga              | #072SG20M |
| SG20S             | Sporting 20 Short wad, 20ga            | #072SG20S |
| SG24              | Sporting 24 wad, 24ga                  | #072SG24  |
| SG28              | Original Sporting 28 wad, 28ga         | #072SG28  |
| SG28-II           | Sporting 28 II wad, 28ga               | #072SG28S |
| SG32              | Sporting 32 wad, 32ga                  | #072SG32  |
| SG410             | Sporting .410 wad, .410                | #072SG410 |
| Shuttlecock Slug  | Shuttlecock Slug, 12ga                 | #7000003  |
| Solo 1000         | Accurate/Scot Solo-1000 powder         | #019100*  |
| SPARK             | Super Spark wad, 12ga                  | #072SPK   |
| SR-4756           | IMR SR-4756 powder                     | na        |
| SR-7625           | IMR SR-7625 powder                     | na        |
| SRC               | Short Range Crusher wad, 12ga          | #072SRC   |
| SSW               | Short Shell wad, 12ga                  | #072SSW   |
| Stabili-Shock     | Stabili-Shock Rubber Slug              | #PEG12*   |
| Steel™            | Alliant Steel powder                   | #018070*  |
| Stretch           | Stretch wad, .410                      | #0724104  |
| Stump             | Stump wad, .410                        | #0724105  |
| TC20              | The Commander, 20ga                    | #020TC20  |
| Teflon            | Teflon™ Wrap                           | #TEFLON   |
| Titegroup         | Hodgdon Titegroup powder               | #081TG*   |
| Titewad           | Hodgdon Titewad powder                 | #081040*  |
| TPS1035           | TPS 3 1/2" wad, 10ga                   | #3227704  |
| TPS1230           | TPS 3" wad, 12ga                       | #3227702  |
| TPS1235           | TPS 3 1/2" wad, 12ga                   | #3227703  |
| TPS1275           | TPS 2 3/4" wad, 12ga                   | #3227701  |
| TPS28             | TPS shot wad, 28ga                     | #3222800  |
| TPS35mm           | TPS 35mm wad, 12ga                     | #3227735  |
| TPS41mm           | TPS 41mm wad, 12ga                     | #3227741  |
| TPS410            | TPS shot wad, .410                     | #3224100  |
| TR12              | Turkey Ranger wad, 12ga                | #3221201  |
| Trim              | trim component by specified amt        | na        |
| TY34              | Tyvek™ 3/4" 10ga patch                 | #TY34     |
| TY58              | Tyvek™ 5/8" 12ga patch                 | #TY58     |
| Unique            | Alliant Unique powder                  | #018060*  |
| Universal Clays   | Hodgdon Universal Clays powder         | #081030*  |
| Win209            | Winchester 209 primer                  | #W209     |
| Win AA (original) | Win AA old style, comp-formed hull     | na        |
| Win AA HS         | Win AA "High Strength" hull            | na        |
| Win. AA Lite      | Winchester AA Lite powder              | #235AA0*  |
| Win. Universal    | Winchester Universal (polyformed) hull | na        |
| Winchester 296    | Winchester 296 powder                  | na        |
| Winchester Poly   | Winchester Polyformed hull             | na        |
| WSF               | Winchester Super Field powder          | #235030*  |

|                   |                                |          |
|-------------------|--------------------------------|----------|
| WST               | Winchester Super Target powder | #235020* |
| X10X              | X10X gas seal                  | #072X10X |
| X12X              | X12X gas seal                  | #322X12X |
| X Stream Spreader | X-Stream Spreader insert       | #3220001 |
| Z16               | Field Commander, 16ga          | #020Z16  |
| Z21               | Trap Commander, 12ga           | #020Z21  |

**WARNING: BALLISTIC PRODUCTS, INC., GRAF & SONS, INC., AND NOBELSPORT DISCLAIM ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".**



## Ballistic Laboratory Notes:

- The "Load" column will often indicate a specific shot size. This is a laboratory notation that tells you what shot size was actually used in the loads for the ballistic lab tests. You are not confined by this information to use that specific shot size. This information is provided only as a guideline for shot-fit and (potential) filler wad purposes; it tells the loader what to expect.
- All unslit wads were slit prior to loading.** Number of slits may be varied to achieve desired effect. Slit 2 to 3 times for a tighter pattern and 5 or 6 for a more open pattern. Length of slits may also be altered. However, slits at least 3/4 the length of the wad are recommended for complete pellet release.
- Mica Wad Slick™ may be used in all loads prior to loading. Mica is a dry lubricant that eases insertion of wads into hulls, especially once-fired. Also provides a slight boost in velocity.
- Original Shot Buffer was used in lead loads. Mix #47 Buffer was used in steel shot and Hevi-Shot loads and BSB/ITX Buffer was used in ITX™ loads. Do not add buffer unless indicated by data.
- All powder charges listed in data are in grains and not grams. Buffer is listed in grains as well.
- Mylar™ wrap is coiled prior to inserting into the hull or shotcup. Cut Mylar™ wrap in half in instances where "1/2" is designated before the Mylar™ that is being used. Teflon™ wrap is also coiled and inserted into the hull prior to dropping the shot.